

# Roadmap

*Last Updated 09 Mar 2010*

This page provides a dynamic look at all open Software Trouble Reports ("STRs") that have been filed on the [Bugs & Features](#) page. If you would like to contribute code to implement/fix any of the STRs below, please consult the [CUPS Developer Guide](#) for the coding standards we follow and then post your changes to the corresponding STR.

[CUPS 1.1](#) · [CUPS 1.2](#) · [CUPS 1.3](#) · [CUPS 1.4](#) · [CUPS 1.5](#) · [CUPS -feature](#)

## **CUPS 1.3 (3 Bugs)**

CUPS 1.3.x is a former stable branch. It is no longer being maintained, and any bug fixes will be applied against CUPS 1.4.x.

STR #	Summary	Subsystem	Status	Priority
<a href="#">3324</a>	<a href="#">cpsd frees memory without cleaning up existing references</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">MOD</a>
<a href="#">3339</a>	<a href="#">BasicDigest authentication does not work</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">MOD</a>
<a href="#">3288</a>	<a href="#">Spurious 'Bad request line "^W^C^A" from M.N.O.P!' messages in error log</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">LOW</a>

## **CUPS 1.4 (22 Bugs, 19 Fixed)**

CUPS 1.4.x is the current stable branch. Bug fix (patch) releases will come out approximately every 6-8 weeks as needed.

STR #	Summary	Subsystem	Status	Priority
<a href="#">3533</a>	<a href="#">Allow/Deny fails for some IPv6 addresses due to parsing bug</a>		<a href="#">New</a>	<a href="#">MOD</a>
<a href="#">3527</a>	<a href="#">Wrong service name in "Using Kerberos Authentication" page.</a>		<a href="#">New</a>	<a href="#">LOW</a>
<a href="#">3528</a>	<a href="#">Cups API typo or error...</a>		<a href="#">New</a>	<a href="#">LOW</a>
<a href="#">3529</a>	<a href="#">Typographical error in default snmp.conf.in</a>		<a href="#">New</a>	<a href="#">LOW</a>
<a href="#">3531</a>	<a href="#">cpsfilter.c sets RIP_CACHE environment variable instead of RIP_MAX_CACHE</a>		<a href="#">New</a>	<a href="#">LOW</a>
<a href="#">3354</a>	<a href="#">remote access to admin pages broken</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">MOD</a>
<a href="#">3405</a>	<a href="#">long delay printing last page hp laserjet 1300 usb</a>	<a href="#">Backends</a>	<a href="#">Pending</a>	<a href="#">MOD</a>
<a href="#">3455</a>	<a href="#">Epiphany does not handle multipart content properly (Add Printer, etc.)</a>	<a href="#">CGI Programs</a>	<a href="#">Pending</a>	<a href="#">MOD</a>
<a href="#">3514</a>	<a href="#">IPP conformance: Send-Document with no data</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">MOD</a>
<a href="#">3314</a>	<a href="#">cupsAdminCreateWindowsPPD needs to treat codeless options as JCL options</a>	<a href="#">CUPS API</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3321</a>	<a href="#">Incorrect page-label positioning for landscape documents</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3334</a>	<a href="#">Incorrect page-label positioning for text documents printed with 'landscape' option</a>	<a href="#">PostScript Filter</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3345</a>	<a href="#">selecting "Maintenance" from the dropdown list results in Error</a>	<a href="#">CGI Programs</a>	<a href="#">Pending</a>	<a href="#">LOW</a>

<a href="#">3394</a>	<a href="#">Dot-notated option choices cannot be set as default</a>	<a href="#">CUPS API</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3412</a>	<a href="#">Web interface: set "display: block" for links in tabs</a>	<a href="#">CGI Programs</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3414</a>	<a href="#">number-up-layout not working as expected with Landscape oriented PDFs</a>	<a href="#">PostScript Filter</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3443</a>	<a href="#">PostScript auto-configuration broken</a>	<a href="#">Sample Drivers</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3461</a>	<a href="#">gnutls needs to be told to be thread-safe</a>	<a href="#">CUPS API</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3466</a>	<a href="#">JobRetryLimit is either off by one or ill documented</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3477</a>	<a href="#">Add more debugging information to libusb backend code</a>	<a href="#">Backends</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3485</a>	<a href="#">lpr doesn't work anymore with env variable PRINTER=destination/instance</a>	<a href="#">CUPS API</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3506</a>	<a href="#">CUPS pegs the CPU after launching vmware player</a>	<a href="#">None</a>	<a href="#">Pending</a>	<a href="#">LOW</a>
<a href="#">3498</a>	<a href="#">Add more CSRF protections</a>	<a href="#">CGI Programs</a>	<a href="#">Fixed r8976</a>	<a href="#">MOD</a>
<a href="#">3480</a>	<a href="#">No event is set when accepting/rejecting jobs</a>	<a href="#">Scheduler</a>	<a href="#">Fixed r8984</a>	<a href="#">LOW</a>
<a href="#">3495</a>	<a href="#">socket: add a waitbc option</a>	<a href="#">Backends</a>	<a href="#">Fixed r8985</a>	<a href="#">LOW</a>
<a href="#">3492</a>	<a href="#">lppasswd password prompts are not localized</a>	<a href="#">CUPS Commands</a>	<a href="#">Fixed r8995</a>	<a href="#">MOD</a>
<a href="#">3505</a>	<a href="#">classes.conf not updated when class member is deleted</a>	<a href="#">Scheduler</a>	<a href="#">Fixed r8996</a>	<a href="#">LOW</a>
<a href="#">3457</a>	<a href="#">Dymo driver doesn't generate multiple copies</a>	<a href="#">Sample Drivers</a>	<a href="#">Fixed r9002</a>	<a href="#">MOD</a>
<a href="#">3392</a>	<a href="#">ldap browsing cutting off last character from printername</a>	<a href="#">Scheduler</a>	<a href="#">Fixed r9003</a>	<a href="#">LOW</a>
<a href="#">3453</a>	<a href="#">Documentation should talk about thread-safety</a>	<a href="#">Documentation</a>	<a href="#">Fixed r9005</a>	<a href="#">LOW</a>
<a href="#">3518</a>	<a href="#">Infinite loop when not compiled with HAVE_GSSAPI</a>	<a href="#">CUPS API</a>	<a href="#">Fixed r9020</a>	<a href="#">MOD</a>
<a href="#">3519</a>	<a href="#">cupsDoIORquest ignores HTTP_ERROR</a>	<a href="#">CUPS API</a>	<a href="#">Fixed r9021</a>	<a href="#">MOD</a>
<a href="#">3517</a>	<a href="#">Segmentation fault in cups/auth.c when debugging</a>	<a href="#">CUPS API</a>	<a href="#">Fixed r9022</a>	<a href="#">LOW</a>
<a href="#">3503</a>	<a href="#">Lpr and Lpq choose default printer differently</a>	<a href="#">CUPS API</a>	<a href="#">Fixed r9024</a>	<a href="#">MOD</a>
<a href="#">3520</a>	<a href="#">cupsctl --remote-any doesn't always work</a>	<a href="#">CUPS API</a>	<a href="#">Fixed r9025</a>	<a href="#">MOD</a>
<a href="#">3521</a>	<a href="#">ippWriteIO does not write collection values properly</a>	<a href="#">CUPS API</a>	<a href="#">Fixed r9028</a>	<a href="#">HIGH</a>
<a href="#">3325</a>	<a href="#">Incorrect handling of kerberos negotiation</a>	<a href="#">None</a>	<a href="#">Fixed r9031</a>	<a href="#">MOD</a>
<a href="#">3523</a>	<a href="#">cupsd can block waiting for an interface's hostname</a>	<a href="#">Scheduler</a>	<a href="#">Fixed r9032</a>	<a href="#">MOD</a>
<a href="#">3524</a>	<a href="#">cupsd can crash on restart when classes are defined</a>	<a href="#">Scheduler</a>	<a href="#">Fixed r9033</a>	<a href="#">MOD</a>
<a href="#">3425</a>	<a href="#">PreserveJobFiles parameter</a>	<a href="#">Scheduler</a>	<a href="#">Fixed r9034</a>	<a href="#">MOD</a>

3525 Need support for AP\_FIRSTPAGE with all media selection keywords

PostScript Filter

Fixed  
r9037

LOW

## **CUPS 1.5 (42 Features, 5 Bugs)**

CUPS 1.5.x is the active development branch and is focused on usability and performance improvements along with Bonjour support via Avahi.

<b>STR #</b>	<b>Summary</b>	<b>Subsystem</b>	<b>Status</b>	<b>Priority</b>
<u>3188</u>	<u>ppdi does not optimize the generated .drv file.</u>	<u>PPD Compiler</u>	<u>Pending</u>	<u>LOW</u>
<u>3239</u>	<u>snmp backend should verify hostname in device URI</u>	<u>Backends</u>	<u>Pending</u>	<u>LOW</u>
<u>3304</u>	<u>Web Interface: In "Add Printer" wizard model selection is broken</u>	<u>CGI Programs</u>	<u>Pending</u>	<u>LOW</u>
<u>3417</u>	<u>%%IncludeFeature directives not being marked/emitted</u>	<u>PostScript Filter</u>	<u>Pending</u>	<u>LOW</u>
<u>3491</u>	<u>Filter and Backend Programming Guide doesn't talk about draining output</u>	<u>Documentation</u>	<u>Pending</u>	<u>LOW</u>
<u>197</u>	<u>job-originating-host-name in lpq</u>	<u>Berkeley Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>198</u>	<u>job-originating-host-name, title in lpstat</u>	<u>System V Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>438</u>	<u>lpadmin should check the PPD with cupstestppd</u>	<u>System V Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>672</u>	<u>Option to allow individual printer to delete a printjob after printing it.</u>	<u>Scheduler</u>	<u>Pending</u>	<u>RFE</u>
<u>988</u>	<u>empty local CUPS queue obscures jobs at the print server</u>	<u>Berkeley Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>1016</u>	<u>Please implement lpr's "-i" option for indentation</u>	<u>Berkeley Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>1149</u>	<u>lprm should support -h and -a</u>	<u>Berkeley Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>1288</u>	<u>Add option/command to show detailed job data</u>	<u>System V Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>1308</u>	<u>Add accounting/quota/management API</u>	<u>Scheduler</u>	<u>Pending</u>	<u>RFE</u>
<u>1437</u>	<u>"lpstat -l -c xxxx" works like "lpstat -c xxxx"</u>	<u>System V Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>1743</u>	<u>Command line method to query job hold status</u>	<u>Multiple</u>	<u>Pending</u>	<u>RFE</u>
<u>1989</u>	<u>Add '--help' option to lpr</u>	<u>Berkeley Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>2053</u>	<u>Enhance configurability of lpd backend</u>	<u>Multiple</u>	<u>Pending</u>	<u>RFE</u>
<u>2322</u>	<u>Mail notifications to event subscriptions should provide more details</u>	<u>Notifiers</u>	<u>Pending</u>	<u>RFE</u>
<u>2410</u>	<u>When a filter is not found the error messages are misleading.</u>	<u>CUPS API</u>	<u>Pending</u>	<u>RFE</u>
<u>2625</u>	<u>Add support for configuring separate access control for web interface</u>	<u>Scheduler</u>	<u>Pending</u>	<u>RFE</u>
<u>2626</u>	<u>Improve cupstestdsc</u>	<u>CUPS Commands</u>	<u>Pending</u>	<u>RFE</u>
<u>2732</u>	<u>Status of remote IPP jobs cannot be discovered</u>	<u>Multiple</u>	<u>Pending</u>	<u>RFE</u>
<u>2829</u>	<u>when stopping queue only the direct child get cleaned up, need to clean all subsequent processes as well, patch included</u>	<u>Scheduler</u>	<u>Pending</u>	<u>RFE</u>

<a href="#"><u>2896</u></a>	<a href="#"><u>Applications need to be able to list and retrieve installed ICC profiles</u></a>	<a href="#"><u>Multiple</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2913</u></a>	<a href="#"><u>Improve Get-Jobs performance with large numbers of jobs</u></a>	<a href="#"><u>Scheduler</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2930</u></a>	<a href="#"><u>Implement the --version and --help options in the cups tools</u></a>	<a href="#"><u>Multiple</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2959</u></a>	<a href="#"><u>Add lpadmin the ability to remove a printer attribute</u></a>	<a href="#"><u>System V Commands</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2967</u></a>	<a href="#"><u>Group authentication with duplicated groups does not work</u></a>	<a href="#"><u>Scheduler</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2969</u></a>	<a href="#"><u>Add per-object access controls for IPP policies</u></a>	<a href="#"><u>Scheduler</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3066</u></a>	<a href="#"><u>Add avahi support</u></a>	<a href="#"><u>Multiple</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3081</u></a>	<a href="#"><u>Better Kerberos-related error messages for shell user commands</u></a>	<a href="#"><u>Multiple</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3093</u></a>	<a href="#"><u>Add support for SSL/TLS certificate validation and revocation</u></a>	<a href="#"><u>Multiple</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3097</u></a>	<a href="#"><u>Switch to iconv for transcoding support</u></a>	<a href="#"><u>CUPS API</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3122</u></a>	<a href="#"><u>No https symlink is installed</u></a>	<a href="#"><u>Build Files</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3301</u></a>	<a href="#"><u>Web Interface: No Cancel or Back buttons</u></a>	<a href="#"><u>CGI Programs</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3317</u></a>	<a href="#"><u>Support for Zebra Technologies Kiosk Printers in CUPS</u></a>	<a href="#"><u>Sample Drivers</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3329</u></a>	<a href="#"><u>Change documentation to use example.com instead of domain.com</u></a>	<a href="#"><u>Documentation</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3361</u></a>	<a href="#"><u>Show access/error/page log from admin page yields an 404</u></a>	<a href="#"><u>CGI Programs</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3389</u></a>	<a href="#"><u>Init script kills cupsd processes in all Solaris zones</u></a>	<a href="#"><u>Config Files</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3415</u></a>	<a href="#"><u>Place labels at the edge of the imageable area to avoid overlap</u></a>	<a href="#"><u>PostScript Filter</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3419</u></a>	<a href="#"><u>Add DeviceN color space support</u></a>	<a href="#"><u>CUPS Imaging API</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3459</u></a>	<a href="#"><u>Please add a configure option for the installed cupsd permissions</u></a>	<a href="#"><u>Build Files</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3479</u></a>	<a href="#"><u>Add "auto" PCFileName support</u></a>	<a href="#"><u>PPD Compiler</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3483</u></a>	<a href="#"><u>Add FixPermissions directive</u></a>	<a href="#"><u>Scheduler</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3484</u></a>	<a href="#"><u>Make ipptest a first-class user program and enhance</u></a>	<a href="#"><u>CUPS Commands</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3501</u></a>	<a href="#"><u>Add threading support for Windows</u></a>	<a href="#"><u>CUPS API</u></a>	<a href="#"><u>Pending</u></a>	<a href="#"><u>RFE</u></a>

## **CUPS -feature (86 Features)**

The -feature branch contains features that have not yet been scheduled for a release.

<b>STR #</b>	<b>Summary</b>	<b>Subsystem</b>	<b>Status</b>	<b>Priority</b>
<a href="#"><u>2212</u></a>	<a href="#"><u>The "Export Printers to Samba" feature should be part of the "Add Printer" wizard</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2402</u></a>	<a href="#"><u>Jobs web page display order - `held' jobs</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2830</u></a>	<a href="#"><u>Web interface - Printers per page and jobs per page</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2878</u></a>	<a href="#"><u>Standby/failover printer inside a CLASS</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2897</u></a>	<a href="#"><u>Adding CUPS filters for using PDF as standard print job format</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2900</u></a>	<a href="#"><u>cupsaddsmb / manual: Add EXAMPLES sections</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2928</u></a>	<a href="#"><u>cupsaddsmb: Provide a way to specify the "Long Printer Name"</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2952</u></a>	<a href="#"><u>Implementation of Pause-Printer-After-Current-Job</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>2984</u></a>	<a href="#"><u>Link to Local Printer Page for Remote IPP Printer</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>
<a href="#"><u>3020</u></a>	<a href="#"><u>adminutil API option for disabling/restricting browse broadcasts</u></a>		<a href="#"><u>New</u></a>	<a href="#"><u>RFE</u></a>

<a href="#">3100</a>	<a href="#">expand PJJ heade with Username</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3112</a>	<a href="#">Limit long list of printers</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3114</a>	<a href="#">allow setting of default user name from config file</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3115</a>	<a href="#">Add job-sheets option to Windows Cups 6 print driver</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3128</a>	<a href="#">pkg-config support</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3143</a>	<a href="#">Provide setting for number of saved jobs for PreserveJobFiles</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3145</a>	<a href="#">Suggested Improvments for CUPS Test Page</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3146</a>	<a href="#">cups-lpd: PLP compatibility</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3149</a>	<a href="#">Optimized CUPS polling</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3168</a>	<a href="#">Make `lp -i` able to restart a job with a job-hold-until attribute</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3172</a>	<a href="#">[PATCH] manual pages: order options alphabetically</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3187</a>	<a href="#">should allow number-up=8</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3192</a>	<a href="#">Use Argyllcms for color management</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3236</a>	<a href="#">Clarify web interface</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3241</a>	<a href="#">More debugging output from cupsdCheckAuth() (patch included)</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3267</a>	<a href="#">Class Sharing</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3276</a>	<a href="#">API's cups_job_s structure to have a 'pages' member</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3282</a>	<a href="#">Web interface to allow input of message to explain why queue has been stopped</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3294</a>	<a href="#">modification for rastertolable to support SATO label printers</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3323</a>	<a href="#">Transition legacy locale names to official ones</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3355</a>	<a href="#">Hook for own enhancements wanted</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3357</a>	<a href="#">One "usb" CUPS backend for both libusb-based and usblp-based access</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3365</a>	<a href="#">new printer support working. Tyco label printer</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3366</a>	<a href="#">launch cupsd via xinetd</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3369</a>	<a href="#">lzma is more efficient than gzip for ppd files</a>	<a href="#">Multiple</a>	<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3395</a>	<a href="#">Command-line (lp, lpr) does not check constraints from the PPD file</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3446</a>	<a href="#">Migrate from Solaris lp to CUPS lp without lpd -o options</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3465</a>	<a href="#">Make JobRetryLimit=0 special: retry ad infinitum</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3475</a>	<a href="#">Network Printer not listed</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3476</a>	<a href="#">Make connection timeout adjustable</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3489</a>	<a href="#">display current user in web interface (root,&lt;user&gt;,anonymous,...)</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3493</a>	<a href="#">w3c validation of cups web interface</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3494</a>	<a href="#">socket: remove 5 second wait for back-channel data</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">3532</a>	<a href="#">Set the effective queue when calling cupsfilter</a>		<a href="#">New</a>	<a href="#">RFE</a>
<a href="#">618</a>	<a href="#">Forcing job-sheets to be unchangeable</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">809</a>	<a href="#">Add time-based againg of archived spool data</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">1177</a>	<a href="#">Unable to change sort order of bugs on cups.org</a>	<a href="#">Web Site</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">1227</a>	<a href="#">Add a Text Option for the width and fold too long line at spaces</a>	<a href="#">Text Filter</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">1310</a>	<a href="#">Embedded print server configuration/mode</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>

<a href="#">1553</a>	<a href="#">Add start page to reprint-job button/operation</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">1649</a>	<a href="#">Web Interface: add a few common cupsd.conf templates for easy setup</a>	<a href="#">CGI Programs</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">1904</a>	<a href="#">Standard IPC mechanism between user/desktop and print job</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">1914</a>	<a href="#">Retain print job history</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2062</a>	<a href="#">An option to specify number of lines to be printed per page</a>	<a href="#">Text Filter</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2291</a>	<a href="#">Automatic cancellation of held jobs after a configured duration</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2316</a>	<a href="#">Add Ability to reprint on a different printer</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2417</a>	<a href="#">Support for Tharo Systems, Inc. line of thermal-transfer labelling printers</a>	<a href="#">Sample Drivers</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2421</a>	<a href="#">Add persistent port monitor/backend support for device monitoring</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2432</a>	<a href="#">please add cupsGetPPD() to PHP bindings</a>	<a href="#">Scripting Support</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2471</a>	<a href="#">Add Seiko drivers</a>	<a href="#">Sample Drivers</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2474</a>	<a href="#">Support for SELinux</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2475</a>	<a href="#">Support for Linux's Lightweigh Audit Framework</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2528</a>	<a href="#">Suppress duplicate devices in cups-devised</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2531</a>	<a href="#">Add device serial number to all backends when possible</a>	<a href="#">Backends</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2566</a>	<a href="#">Windows Driver for CUPS/64bit</a>	<a href="#">Windows Driver</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2700</a>	<a href="#">Add "wol=xx:xx:xx:xx:xx:xx" option to network backends</a>	<a href="#">Backends</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2728</a>	<a href="#">Print banner page from different input tray</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2761</a>	<a href="#">Add support for CustomLogFormat</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2811</a>	<a href="#">There is no default timeout for filters</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2856</a>	<a href="#">arbitrarily limits username/password to 32 characters</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2869</a>	<a href="#">Add CUPS SC CMD SET BIDI side-channel command and API</a>	<a href="#">Backends</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2890</a>	<a href="#">Add back-channel support to libusb-based USB backend</a>	<a href="#">Backends</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2895</a>	<a href="#">add sample drivers for plotter</a>	<a href="#">Sample Drivers</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2935</a>	<a href="#">please support less restricted root backend permissions</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2972</a>	<a href="#">pstops - coping better with bad postscript created by Acrobat products.</a>	<a href="#">PostScript Filter</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3048</a>	<a href="#">Option to check for changes in client.conf</a>	<a href="#">CUPS API</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3092</a>	<a href="#">Add support for printer list filtering</a>	<a href="#">CUPS API</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3102</a>	<a href="#">[PATCH] add an smb:// URI to the list of examples of how to write URIs in the web UI</a>	<a href="#">Documentation</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3199</a>	<a href="#">cups-lpd receives print file before establishing it can create a job on the cupsd</a>	<a href="#">LPD Mini-Daemon</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3208</a>	<a href="#">Add depend command to CUPS driver interface</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3274</a>	<a href="#">Add way to purge individual jobs in web interface.</a>	<a href="#">CGI Programs</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3350</a>	<a href="#">lpstat option for get the class of a printer</a>	<a href="#">System V Commands</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3408</a>	<a href="#">Please consider changing the naming scheme of PO files</a>	<a href="#">Localization</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3481</a>	<a href="#">CUPS should use Trusted Extensions on Solaris</a>	<a href="#">Multiple</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">3513</a>	<a href="#">generate PPD containing intersection of features between printers</a>	<a href="#">Scheduler</a>	<a href="#">Pending</a>	<a href="#">RFE</a>
<a href="#">2476</a>	<a href="#">Support for SELinux context based job banners</a>	<a href="#">Multiple</a>	<a href="#">Active</a>	<a href="#">RFE</a>