







































Roadmap

CUPS 1.3 (376 Fixed/Pending)

CUPS 1.3.x is a former stable branch. It is no longer being maintained, and any bug fixes will be applied against CUPS 1.6.x.


STR #	Summary	Subsystem	Status	Priority
2405	No documented way to shut off timeout-auto-disable of remote printers	Scheduler	Fixed 1.2.0	MOD
2949	Tell in the documentation/man page/help output of cupstestppd that CUPS accepts all PPDs which pass "cupstestppd -r" and does not accept PPDs which fail this cupstestppd call	Documentation	Fixed 1.2.0	LOW
3426	-J "Job Name" flag converts all non AlphaNumeric characters to underscores	Backends	Fixed 1.2.0	LOW
1552	Add device ID to lpinfo output	CUPS Commands	Fixed 1.2.0	RFE
2118	Need configurable timeout on SNMP scans - missing 2/3 of printers  1	Backends	Fixed 1.2.3	RFE
1892	cupsd don't accept return-code 0 from backend to finish the job  10	Scheduler	Fixed 1.3-current	HIGH
2314	Implicit function ' ' / Undefined symbol ' ' in latest CUPS SVN	Backends	Fixed 1.3-current	MOD
2503	misstyped chgrp in Makefile (SSL directory)  1	Build Files	Fixed 1.3-current	LOW
2534	Typo in doc/de/index.html.in  1	Localization	Fixed 1.3-current	LOW
2685	Unable to authenticate with Kerberos  1	Scheduler	Fixed 1.3-current	LOW
2973	Brother Printer HL-2170W gives offline message	Backends	Fixed 1.3-current	LOW
3058	Some web interface links seem hardcoded to 127.0.0.1	CGI Programs	Fixed 1.3-current	LOW
1678	"intelbar.ppd" does not pass cupstestppd test	Sample Drivers	Fixed r5530	MOD
1755	Web interface: "Set Printer Options" makes printer unaccessible	CGI Programs	Fixed r5563	HIGH
1804	epm can't build packages  1	Packaging Files	Fixed r5711	LOW
1834	NetBSD also needs a define for s6_addr32 in cups/http.h  1	CUPS API	Fixed r5712	MOD
1837	printing a document named with umlaute by ipp doesn't work.  1	Backends	Fixed r5885	LOW
1931	Spanish translation of new template file 'norestart.tmpl'  1	Localization	Fixed r5892	LOW
1983	Current locale is not honored in all cases  1	CUPS API	Fixed	MOD















			r5977	
646	<u>Add Kerberos/GSSAPI HTTP authentication support</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6044</u>	<u>RFE</u>
2045	<u>Miscellaneous Kerberos fixes/improvements</u>  1	<u>Multiple</u>	<u>Fixed</u> <u>r6055</u>	<u>MOD</u>
2046	<u>Log connection type to aid in IPv6 testing/verification</u>  1	<u>Backends</u>	<u>Fixed</u> <u>r6058</u>	<u>LOW</u>
2090	<u>configure support for default max copies</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r6085</u>	<u>RFE</u>
1261	<u>New feature: use poll(2) instead of select(2)</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r6123</u>	<u>RFE</u>
2144	<u>job-hold-until 'next day' becomes 60 days</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r6150</u>	<u>MOD</u>
1898	<u>Side-channel support for backends and drivers</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6170</u>	<u>RFE</u>
2141	<u>The ServerName directive lacks from the help/ref-cupsd-conf.html toc</u>  1	<u>Documentation</u>	<u>Fixed</u> <u>r6199</u>	<u>LOW</u>
2104	<u>The Minolta issue again</u>  1	<u>Backends</u>	<u>Fixed</u> <u>r6227</u>	<u>MOD</u>
2215	<u>scripting/java sources won't compile (related to STR 2152)</u>	<u>Scripting Support</u>	<u>Fixed</u> <u>r6228</u>	<u>MOD</u>
2224	<u>1.3.x Spanish message catalog updated</u>  1	<u>Localization</u>	<u>Fixed</u> <u>r6229</u>	<u>LOW</u>
2225	<u>CDSA SSL certificate selection improvements</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r6232</u>	<u>MOD</u>
2108	<u>Add support for pre-filters</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r6252</u>	<u>RFE</u>
2206	<u>Add support for MacOSX's Authorization Services</u>  1	<u>Multiple</u>	<u>Fixed</u> <u>r6253</u>	<u>RFE</u>
2131	<u>Documentation of GSSAPI</u>	<u>Documentation</u>	<u>Fixed</u> <u>r6254</u>	<u>LOW</u>
1646	<u>Web Interface: add printer wizard should provide option to change printer name</u>  1	<u>CGI Programs</u>	<u>Fixed</u> <u>r6255</u>	<u>RFE</u>
1701	<u>Make help searching better</u>	<u>CGI Programs</u>	<u>Fixed</u> <u>r6257</u>	<u>RFE</u>
1329	<u>lp does not report error with invalid N-up specification</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r6259</u>	<u>RFE</u>
1692	<u>make install ignores --prefix for icons</u>	<u>Build Files</u>	<u>Fixed</u> <u>r6260</u>	<u>RFE</u>
1614	<u>Add RELRO support</u>  1	<u>Build Files</u>	<u>Fixed</u> <u>r6263</u>	<u>RFE</u>
1923	<u>network default options in GET PRINTER ATTRIBUTES</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r6265</u>	<u>RFE</u>
2030	<u>Settings of network-wide defaults for CUPS-specific options are not reflected in client GUIs</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6265</u>	<u>RFE</u>
1671	<u>can't set 'notify-events-default' to multiple values</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r6267</u>	<u>RFE</u>
1897	<u>Add support for printing from the Internet</u>  1	<u>Multiple</u>	<u>Fixed</u> <u>r6268</u>	<u>RFE</u>

















<u>2008</u>	<u>Better 'BrowseAllow' default</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6268</u>	<u>RFE</u>
<u>2130</u>	<u>Add custom media size examples to printing and options docos</u>	<u>Documentation</u>	<u>Fixed</u> <u>r6269</u>	<u>RFE</u>
<u>1999</u>	<u>Printer Deletion Web Interface</u>	<u>CGI Programs</u>	<u>Fixed</u> <u>r6276</u>	<u>RFE</u>
<u>2013</u>	<u>Refreshing to Job List after release confirmation</u>	<u>CGI Programs</u>	<u>Fixed</u> <u>r6277</u>	<u>RFE</u>
<u>2239</u>	<u>No refresh page when canceling a job through the WEB Interface</u>	<u>CGI Programs</u>	<u>Fixed</u> <u>r6277</u>	<u>RFE</u>
<u>1171</u>	<u>Add DNS-SD discovery/announcement to printing support</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r6291</u>	<u>RFE</u>
<u>2093</u>	<u>dns-sd: High cpu usage with empty BrowseRemoteProtocols</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r6292</u>	<u>MOD</u>
<u>2139</u>	<u>Add RSS notification scheme</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6306</u>	<u>RFE</u>
<u>2283</u>	<u>Add UTF-8 validation to cupstestppd</u>  <u>1</u>	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r6322</u>	<u>RFE</u>
<u>2260</u>	<u>Slight configure problem when --enable-largefile on OSX/Darwin</u>  <u>1</u>	<u>Build Files</u>	<u>Fixed</u> <u>r6330</u>	<u>LOW</u>
<u>2231</u>	<u>Automatic button generation</u>  <u>2</u>	<u>Localization</u>	<u>Fixed</u> <u>r6352</u>	<u>RFE</u>
<u>2299</u>	<u>"tools/makebuttons" requires ImageMagick/convert version 6.2.4 or higher</u>  <u>1</u>	<u>Localization</u>	<u>Fixed</u> <u>r6357</u>	<u>LOW</u>
<u>1933</u>	<u>Raw printing with multiple files and/or banners does not work</u>  <u>3</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6375</u>	<u>LOW</u>
<u>2355</u>	<u>no print job when banners are enabled</u>  <u>1</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6375</u>	<u>LOW</u>
<u>2265</u>	<u>printer location via cupsGetDests</u>  <u>2</u>	<u>CUPS API</u>	<u>Fixed</u> <u>r6386</u>	<u>RFE</u>
<u>2268</u>	<u>Add support for foreign authentication</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6386</u>	<u>RFE</u>
<u>1775</u>	<u>No documentation for printer instances in CUPS 1.2.x</u>	<u>Documentation</u>	<u>Fixed</u> <u>r6395</u>	<u>RFE</u>
<u>2036</u>	<u>Add support for non-standard LPD streaming mode</u>  <u>1</u>	<u>Backends</u>	<u>Fixed</u> <u>r6398</u>	<u>RFE</u>
<u>2310</u>	<u>Update comments in mime.* files to indicate they are overwritten on install</u>	<u>Config Files</u>	<u>Fixed</u> <u>r6405</u>	<u>RFE</u>
<u>1895</u>	<u>Localize filter and backend messages</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6422</u>	<u>RFE</u>
<u>1903</u>	<u>Add support for STATE: paused from filters to stop queue</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r6429</u>	<u>RFE</u>
<u>2313</u>	<u>cupstestppd should warn when ll LL strings are not accompanied by ll strings</u>  <u>1</u>	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r6430</u>	<u>RFE</u>
<u>2148</u>	<u>Translation to Hebrew</u>  <u>4</u>	<u>Localization</u>	<u>Fixed</u> <u>r6431</u>	<u>LOW</u>
<u>2088</u>	<u>Add support for IPP PSX (printer-alert, printer-alert-description)</u>  <u>1</u>	<u>Multiple</u>	<u>Fixed</u> <u>r6433</u>	<u>RFE</u>
<u>2109</u>	<u>printer-state-message not tracked for remote jobs</u>  <u>1</u>	<u>Backends</u>		<u>RFE</u>





			Fixed r6434	
1985	<u>cupsaddsmb does not track OrderDependencies, allowing collisions</u>  2	CUPS Commands	Fixed r6435	RFE
2325	<u>Socket backend does shutdown too soon</u>  1	Backends	Fixed r6436	LOW
1871	<u>ErrorPolicy should have a global setting.</u>  1	Scheduler	Fixed r6436	RFE
2238	<u>Unable to edit Policies and Banners on raw printer queues</u>  1	CGI Programs	Fixed r6439	RFE
2326	<u>cupstestppd should warn of missing filters</u>  3	System V Commands	Fixed r6443	RFE
2358	<u>ppdFindOption() performance improvement using hash table lookup</u>  1	CUPS API	Fixed r6477	RFE
2356	<u>ref-cupsd-conf.html should reflect configured values</u>  1	Documentation	Fixed r6488	LOW
2357	<u>Need to convert language identifiers to locales</u>  1	Localization	Fixed r6489	MOD
2353	<u>cupsd should recreate missing spool and log directories</u>  2	Scheduler	Fixed r6490	MOD
2035	<u>SNMP device URI selection improvements</u>	Backends	Fixed r6495	RFE
2256	<u>Replace "Make and Model" with "Printer Driver"</u>	CGI Programs	Fixed r6497	RFE
2103	<u>signal handling in backendRunLoop()</u>  1	Backends	Fixed r6498	RFE
2375	<u>Error -60002 authorization reference is invalid in CUPS error log</u>  1	CUPS API	Fixed r6499	MOD
1875	<u>Add target for building tags file</u>  1	Build Files	Fixed r6500	RFE
2240	<u>Allow the retrieval of CUPS version number remotely.</u>  1	Scheduler	Fixed r6501	RFE
1900	<u>cups-driverd does not report PPDs with multiple Product attributes</u>	Scheduler	Fixed r6504	RFE
2334	<u>Need extended ppd information from cupsgetppd</u>	Scheduler	Fixed r6506	RFE
2263	<u>lpmove(1) documentation</u>	Documentation	Fixed r6507	RFE
1901	<u>cups-driverd does not support filtering on ppd-product or ppd-device-id</u>	Scheduler	Fixed r6508	RFE
2383	<u>More CUPS_GET_PPDS values needed</u>  1	Scheduler	Fixed r6535	RFE
2406	<u>unable to compile and more</u>  1	Multiple	Fixed r6555	MOD
2331	<u>Can't compile CUPS on hp-ux 11 Itanium</u>  6	Build Files	Fixed r6569	MOD
2404	<u>(mit-krb && CUPS 1.3svn-6542) => segfault!</u>	Scheduler	Fixed r6569	MOD
2413				LOW


















	<u>cupstestppd incorrectly complains about missing localization for custom PageRegion</u>	<u>CUPS Commands</u>	<u>Fixed r6574</u>	
2420	<u>Add [Job N] prefix for all scheduler-generated job messages</u>	<u>Scheduler</u>	<u>Fixed r6579</u>	<u>LOW</u>
2422	<u>printer-state-message gets cleared too easily</u>	<u>Scheduler</u>	<u>Fixed r6588</u>	<u>LOW</u>
2341	<u>STATE:paused handling by scheduler</u>  1	<u>Scheduler</u>	<u>Fixed r6589</u>	<u>HIGH</u>
2384	<u>CUPS PRINTER REMOTE not set for Bonjour shared printers</u>  4	<u>Scheduler</u>	<u>Fixed r6590</u>	<u>LOW</u>
1711	<u>Timed out Create-Job + Send-Document doesn't add last banner</u>	<u>Scheduler</u>	<u>Fixed r6593</u>	<u>LOW</u>
2419	<u>Add CUPS PRINTER DISCOVERED type bit</u>	<u>Scheduler</u>	<u>Fixed r6593</u>	<u>RFE</u>
2397	<u>Add quota/accounting help page</u>	<u>Documentation</u>	<u>Fixed r6594</u>	<u>RFE</u>
655	<u>job creation: finishings attribute</u>	<u>Multiple</u>	<u>Fixed r6601</u>	<u>RFE</u>
1777	<u>Add command-line utility using cupsAdminGet/SetServerSettings</u>	<u>CUPS Commands</u>	<u>Fixed r6610</u>	<u>RFE</u>
2434	<u>There is no way to disable the SNMP backend</u>  1	<u>Backends</u>	<u>Fixed r6611</u>	<u>RFE</u>
2164	<u>Ship with multi-language PPD files</u>	<u>Data Files</u>	<u>Fixed r6639</u>	<u>RFE</u>
2072	<u>Add an arbitrary text URI scheme to allow longer strings for cupsIPPreasons</u>	<u>CUPS API</u>	<u>Fixed r6646</u>	<u>RFE</u>
2242	<u>Cups should use SO_PEERCRED / getpeereid on AF_UNIX socket connections.</u>  2	<u>Multiple</u>	<u>Fixed r6647</u>	<u>RFE</u>
1967	<u>LDAP Browse SSL/TLS support</u>  3	<u>Scheduler</u>	<u>Fixed r6648</u>	<u>RFE</u>
2418	<u>Add job-printer-state-message and job-printer-state-reasons attributes</u>	<u>Scheduler</u>	<u>Fixed r6655</u>	<u>RFE</u>
1734	<u>Add cupsfilter program based on testmime for users</u>	<u>CUPS Commands</u>	<u>Fixed r6669</u>	<u>RFE</u>
2455	<u>Patch to make CUPS build against avahi-compat-libdns_sd</u>  2	<u>Multiple</u>	<u>Fixed r6691</u>	<u>MOD</u>
2454	<u>world-executable backends are run under the root account during discovery</u>  1	<u>Backends</u>	<u>Fixed r6693</u>	<u>HIGH</u>
2262	<u>lpmove and web 'Move job' to move 'Processing' job as well</u>	<u>Scheduler</u>	<u>Fixed r6727</u>	<u>MOD</u>
2439	<u>expand cupsaddsmb to support 64 bit Windowsdrivers</u>	<u>CUPS API</u>	<u>Fixed r6729</u>	<u>RFE</u>
2442	<u>enhance the ZPL printerdriver to print on 6" and 8" Paper</u>	<u>Sample Drivers</u>	<u>Fixed r6731</u>	<u>RFE</u>
2448	<u>Log "requesting-user-name" info in 'LogLevel debug', not 'debug2'</u>	<u>Scheduler</u>	<u>Fixed r6732</u>	<u>RFE</u>
2453	<u>Rename "List Available Printers" button to make it less confusing and more descriptive</u>	<u>CGI Programs</u>	<u>Fixed r6733</u>	<u>RFE</u>
2457	<u>Script 'makebuttons' generates button images files of big size</u>	<u>Build Files</u>		<u>RFE</u>




			Fixed r6733	
2458	Move backend exit status report to 'LogLevel info' (even if successful)	Scheduler	Fixed r6734	RFE
2443	German translation  3	Localization	Fixed r6742	LOW
2460	cupsd crashes if one print queue is disabled on solaris10 SPARC  2	Scheduler	Fixed r6747	HIGH
2462	Italian translation update 1.3rc2  1	Localization	Fixed r6753	LOW
2463	In the documentation ESP Ghostscript is still recommended	Documentation	Fixed r6761	LOW
2464	LSB search paths for PPDs in cups-driverd broken  1	Scheduler	Fixed r6762	LOW
1846	A number of common print job options are undocumented in the "options.html" file	Documentation	Fixed r6771	LOW
2470	No error for incorrect ServerBin  3	Scheduler	Fixed r6783	LOW
2508	Makefile cleans edit-config.tmpl	Build Files	Fixed r6945	MOD
2523	webinterface patch to fix translation of the german copyright footer  1	Localization	Fixed r6981	LOW
2568	Windows 2003 R2 as KDC	CUPS API	Fixed r7047	HIGH
2613	Segfault in cupsd caused by changes in cups/ppd.c	CUPS API	Fixed r7094	MOD
2665	asn1_get_string uses buffer where *buffer is expected	Backends	Fixed r7210	MOD
2711	DefaultAuthType in cupsd.conf gets garbage written to it, server won't start	CGI Programs	Fixed r7325	MOD
2823	/usr/sbin/cupsd double free or corruption  2	Scheduler	Fixed r7682	HIGH
2850	Landscape PDF prints incorrectly with orientation-requested=4  2	PDF Filter	Fixed r7726	LOW
2963	"Find New Printers" button does not appear in French  1	Localization	Fixed r8038	LOW
3011	mailto notifier broken sending to SMTP server  1	Notifiers	Fixed r8134	MOD
3038	italic Courier fonts wrongly named in charsets files	Data Files	Fixed r8192	LOW
3055	The scheduler never gets the MIME type based on the document name for a single file job  2	CUPS API	Fixed r8221	LOW
3060	CUPS testprint.ps content exceeds free printable space on A4 paper  2	Data Files	Fixed r8236	LOW
3129	Switch to pdftops wrapper program from CUPS 1.4  1	PDF Filter	Fixed r8429	LOW
3031	Integer overflow in cupsImageReadTIFF()  1	Image Filters	Fixed r8510	MOD
3161	make check fails on 4.3-job-ops.test (PDF printing)  1	Test Framework		MOD


















			Fixed r8527	
3166	Creating package with epm gives error	Build Files	Fixed r8557	MOD
3226	Multi-file jobs gone after printer is disabled/enabled  1	Scheduler	Fixed r8719	MOD
3222	Move Jobs moves processing jobs as stopped to destination  1	Scheduler	Fixed r8720	LOW
3238	DNS rebinding protection regression because ":::1" is not allowed  1	CUPS API	Fixed 1.3.11	HIGH
2519	1.3.1 web UI has almost no translations	None	Fixed 1.3.2	MOD
2609	many API functions broken by UTF-8 change	CUPS API	Fixed 1.3.4	HIGH
2598	Old Linux kernels have no epoll but glibc may have the function...  1	Scheduler	Fixed 1.3.5	LOW
2721	Busy loop in backendRunLoop (usb backend process hogs cpu)	Backends	Fixed 1.3.6	MOD
3201	cups 1.3.10 refuses to accept files from clients with older (1.3.6) cups	CUPS API	Fixed 1.3.7	HIGH
3005	Tagged pdf print incorrectly landscape on portrait paper  1	PostScript Filter	Fixed 1.3.9	MOD
3006	A3 pdf prints incorrectly on A4 paper, paper size detect does not work  1	PostScript Filter	Fixed 1.3.9	MOD
2921	CUPS Add Printer Web Interface hangs for Firefox 3	Scheduler	Fixed 1.4-current	HIGH
2934	timeout when using Firefox on XP with SSL/TLS	Scheduler	Fixed 1.4-current	HIGH
2495	<sys/ucred.h> needs <sys/param.h> under FreeBSD 6.2  1	Multiple	Fixed 1.4-current	MOD
2505	Set Printer Options not working	CGI Programs	Fixed 1.4-current	MOD
2773	lpr doesn't honor -o page-ranges	CUPS API	Fixed 1.4-current	MOD
2790	Integer overflows in PNG image loading code  1	Image Filters	Fixed 1.4-current	MOD
2816	Some more problems with CGI handling - STR#2781 continued  1	Scheduler	Fixed 1.4-current	MOD
2855	DefaultAuthType without value crashes spooler	Scheduler	Fixed 1.4-current	MOD
2884	Deleting foo@bar@baz printer is impossible  1	Scheduler	Fixed 1.4-current	MOD
2968	pstops should insert PostScript code for default option settings in the beginning of the Setup section	PostScript Filter	Fixed 1.4-current	MOD
2726	Number of copies (-n copies) does not work  2	None	Fixed 1.4-current	LOW
2886	interface hangs when selecting model/manufacturer  3	None	Fixed 1.4-current	LOW
2473	CUPS 1.3 Spanish translation  1	Localization	Fixed r6794	LOW
2472	New language detection doesn't have fallbacks  1	Scheduler	Fixed	MOD

				r6796	
2477	<u>web interface partially display 110n under locale zh_TW</u>  1	CGI Programs	<u>Fixed</u> <u>r6797</u>	<u>LOW</u>	
2478	<u>button-list-available-printers.gif missing in the webinterface</u>  1	Documentation	<u>Fixed</u> <u>r6798</u>	<u>LOW</u>	
2483	<u>-chgrp in the middle of a Makefile command</u>  1	Build Files	<u>Fixed</u> <u>r6801</u>	<u>MOD</u>	
2487	<u>Printer Lockup</u>	Sample Drivers	<u>Fixed</u> <u>r6819</u>	<u>LOW</u>	
2488	<u>configure --localedir does not work</u>  1	Build Files	<u>Fixed</u> <u>r6837</u>	<u>MOD</u>	
2501	<u>CUPS doesn't compile on HP-UX with Kerberos enabled</u>  1	CUPS API	<u>Fixed</u> <u>r6933</u>	<u>MOD</u>	
2510	<u>cupstestppd fails with misleading message</u>  2	CUPS API	<u>Fixed</u> <u>r6962</u>	<u>LOW</u>	
2515	<u>/usr/bin/install: too few arguments</u>  1	Build Files	<u>Fixed</u> <u>r6965</u>	<u>MOD</u>	
2512	<u>Write printcap every 30s; prevents disk spin-down</u>  1	Scheduler	<u>Fixed</u> <u>r6968</u>	<u>LOW</u>	
2513	<u>New handling of CUPS option defaults in CUPS 1.3 different</u>  1	Scheduler	<u>Fixed</u> <u>r6970</u>	<u>MOD</u>	
2520	<u>HP-UX config fixes (32/64bit, directories, start/stop number)</u>  1	Build Files	<u>Fixed</u> <u>r6975</u>	<u>LOW</u>	
2522	<u>Swedish translation is seriously broken</u>  3	Localization	<u>Fixed</u> <u>r6982</u>	<u>LOW</u>	
2525	<u>Policy CUPS-Add-Modify-Printer unlikely when using multiple policies</u>  1	Scheduler	<u>Fixed</u> <u>r6994</u>	<u>MOD</u>	
2538	<u>Compile of CUPS 1.3.x fails when upgrading from CUPS 1.2</u>  1	Build Files	<u>Fixed</u> <u>r7016</u>	<u>MOD</u>	
2544	<u>The -p option of lpr does not work</u>	Berkeley Commands	<u>Fixed</u> <u>r7017</u>	<u>MOD</u>	
2548	<u>IPP backend performance issue</u>  1	Backends	<u>Fixed</u> <u>r7018</u>	<u>LOW</u>	
2553	<u>Use ppdev for parallel port Device ID retrieval on Linux</u>  2	Backends	<u>Fixed</u> <u>r7020</u>	<u>MOD</u>	
2546	<u>updated Japanese translation (for 1.3, r7005)</u>  1	Localization	<u>Fixed</u> <u>r7022</u>	<u>LOW</u>	
2556	<u>cupsaddsmb doesn't handle domain sockets</u>	CUPS Commands	<u>Fixed</u> <u>r7033</u>	<u>LOW</u>	
2560	<u>IPP recommendation should be revised or removed</u>	Documentation	<u>Fixed</u> <u>r7034</u>	<u>LOW</u>	
2564	<u>Patch to correct the manpage statement in snmp.conf</u>  1	Config Files	<u>Fixed</u> <u>r7035</u>	<u>LOW</u>	
2563	<u>Man page for "cupsfilter" command needs improvements/corrections</u>	Documentation	<u>Fixed</u> <u>r7036</u>	<u>LOW</u>	
2545	<u>Different AuthTypes do not work properly in policies</u>  2	Scheduler	<u>Fixed</u> <u>r7040</u>	<u>HIGH</u>	
2561	<u>Missing IPP value length range checks</u>  6	CUPS API	<u>Fixed</u> <u>r7046</u>	<u>HIGH</u>	






















<u>2569</u>	<u>Please check Documentation Custom Options</u>	<u>Documentation</u>	<u>Fixed</u> <u>r7048</u>	<u>LOW</u>
<u>2575</u>	<u>cupsLangGet() should map "nb" to "no"</u>	<u>CUPS API</u>	<u>Fixed</u> <u>r7049</u>	<u>LOW</u>
<u>2572</u>	<u>subscription event "printer-stopped" seems to be equal "printer-state-changed"</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7078</u>	<u>MOD</u>
<u>2595</u>	<u>'lpc status' fails in non-UTF-8 locale</u>  <u>2</u>	<u>Berkeley</u> <u>Commands</u>	<u>Fixed</u> <u>r7079</u>	<u>MOD</u>
<u>2605</u>	<u>cupsd crashes on (receiving) jobs for an empty classes</u>  <u>2</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7080</u>	<u>MOD</u>
<u>2612</u>	<u>Minor bug in cups/string.c</u>	<u>CUPS API</u>	<u>Fixed</u> <u>r7081</u>	<u>MOD</u>
<u>2604</u>	<u>Minolta-QMS magicolor 2300w won't print</u>  <u>2</u>	<u>Backends</u>	<u>Fixed</u> <u>r7082</u>	<u>MOD</u>
<u>2570</u>	<u>JCLOpenUI/cupsJobTickets do not work</u>  <u>2</u>	<u>CUPS API</u>	<u>Fixed</u> <u>r7083</u>	<u>LOW</u>
<u>2592</u>	<u>scheduler/ipp.c will not compile</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7086</u>	<u>MOD</u>
<u>2582</u>	<u>Failure to start cupsdselect noty implimented</u>  <u>2</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7088</u>	<u>LOW</u>
<u>2600</u>	<u>CUPS 1.4 current SVN SIGSEGVs on Samba job submit</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7089</u>	<u>LOW</u>
<u>2580</u>	<u>Modifying "Basic Server Settings" options re-writes cupsd.conf with missing local changes</u>  <u>2</u>	<u>Multiple</u>	<u>Fixed</u> <u>r7090</u>	<u>LOW</u>
<u>2591</u>	<u>CVE-2007-4352 CVE-2007-5392 CVE-2007-5393</u>  <u>1</u>	<u>PDF Filter</u>	<u>Fixed</u> <u>r7091</u>	<u>LOW</u>
<u>2632</u>	<u>Unable to compile Cups-1.3.4: "sh: gssapi -- use : not found"</u>	<u>Build Files</u>	<u>Fixed</u> <u>r7100</u>	<u>MOD</u>
<u>2615</u>	<u>distclean misses some files</u>	<u>Build Files</u>	<u>Fixed</u> <u>r7109</u>	<u>LOW</u>
<u>2618</u>	<u>CUPS stops broadcasting after getting HUP signal when "BrowseAddress 192.168.1.255:631" is used</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7111</u>	<u>MOD</u>
<u>2623</u>	<u>Unused air_negotiate variable in cupsdSetPrinterAttrs</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7117</u>	<u>LOW</u>
<u>2589</u>	<u>SNMP backend integer underflow/stack overflow in asn1_get_string()</u>  <u>1</u>	<u>Backends</u>	<u>Fixed</u> <u>r7133</u>	<u>HIGH</u>
<u>2631</u>	<u>Interface update poll has been removed since revision 6123</u>  <u>2</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r7141</u>	<u>MOD</u>
<u>2646</u>	<u>lpadmin page does not describe -default option setting</u>	<u>Documentation</u>	<u>Fixed</u> <u>r7161</u>	<u>LOW</u>
<u>2647</u>	<u>defaultshared not in man pages</u>	<u>Documentation</u>	<u>Fixed</u> <u>r7162</u>	<u>LOW</u>
<u>2663</u>	<u>pstops filter produces incorrect output with number-up=2 on some documents</u>  <u>1</u>	<u>PostScript Filter</u>	<u>Fixed</u> <u>r7174</u>	<u>LOW</u>
<u>2652</u>	<u>cgi_initialize_post() broken on OpenBSD 4.2</u>	<u>CGI Programs</u>	<u>Fixed</u> <u>r7181</u>	<u>MOD</u>
<u>2651</u>	<u>Java libraries are using iso-8859-1 for requests</u>  <u>1</u>	<u>Scripting</u> <u>Support</u>	<u>Fixed</u> <u>r7182</u>	<u>LOW</u>
<u>2650</u>	<u>problems with remote-any server setting</u>  <u>2</u>	<u>CUPS API</u>		<u>MOD</u>


			Fixed r7194	
2656	cupsd dies due to double freeing of a remote printer  3	Scheduler	Fixed r7196	HIGH
2639	Cups scheduler crashing when using lpadmin -p PRINTERNAME -o port-monitor=none on RAW queue  1	Scheduler	Fixed r7197	LOW
2640	cups-polld doesn't notice if the cups it was logging stderr messages to goes away  1	Polling Daemon	Fixed r7198	LOW
2659	MIME auto-typing fails to match filename patterns  1	Scheduler	Fixed r7200	MOD
2664	usb backend busy-loops due to runloop logic error  1	Backends	Fixed r7204	LOW
2679	AUTH_DEFAULT conflicts	Scheduler	Fixed r7233	HIGH
2670	Kerberos Authentication with /etc/cups/printers.conf and Allow User parameter  1	Scheduler	Fixed r7235	MOD
2606	repost from admin.cgi breaks with negotiate  1	Scheduler	Fixed r7236	MOD
2669	With DefaultAuthType Negotiate delete from /jobs webpage requires 'Require user' in <Location /jobs>  1	CGI Programs	Fixed r7237	HIGH
2673	Multiple file jobs to remote printers are not printed  2	Scheduler	Fixed r7250	HIGH
2671	CUPSD crashes when reading subscriptions.conf	Scheduler	Fixed r7251	HIGH
2667	ipp backend crashes in some cases when printer unavailable  1	Backends	Fixed r7252	MOD
2680	Subscriptions for printer-stopped events also received other state changes  1	Scheduler	Fixed r7253	MOD
2690	cupsEncodeOptions2() not dequoting strings  1	CUPS API	Fixed r7259	HIGH
1307	Add marker-* attributes  1	Multiple	Fixed r7270	LOW
2682	Authenticated IPP printing to Windows not working	Multiple	Fixed r7275	MOD
2695	Kerberos authentication fails with large tickets  2	Multiple	Fixed r7275	MOD
2701	Unknown Location directive </LimitExcept>	Scheduler	Fixed r7293	MOD
2702	d-bus support should be buildable on operating systems other than Linux  3	Build Files	Fixed r7294	MOD
2699	job owner can't move job  3	Scheduler	Fixed r7295	HIGH
2703	default_auth_type  2	CGI Programs	Fixed r7300	HIGH
2715	job-sheets attribute not treated as multivalue  1	CUPS API	Fixed r7341	MOD
2727	Unhandled image colorspace  3	Image Filters	Fixed r7355	LOW
2734		Scheduler		LOW











	<u>adding printer causing cupsd to crash in case of incorrectly configured PAM</u>  1		<u>Fixed</u> r7369	
2742	<u>Sigsegv using port monitor</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7372	<u>HIGH</u>
2741	<u>cupsctl dumps core while cupsd is restarting.</u>  1	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> r7373	<u>MOD</u>
2746	<u>Fix printing of PBM files</u>  4	<u>Image Filters</u>	<u>Fixed</u> r7374	<u>LOW</u>
2751	<u>Information disclosure in CUPS 1.3.x</u>  2	<u>Scheduler</u>	<u>Fixed</u> r7377	<u>HIGH</u>
2758	<u>failed test suite exits with 0</u>  2	<u>Test Framework</u>	<u>Fixed</u> r7378	<u>LOW</u>
2760	<u>HideImplicitMembers is unknown directive</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7379	<u>LOW</u>
2749	<u>Wrong authentication header sent when AuthType Default set on Print-Job policy</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7380	<u>MOD</u>
2748	<u>Negotiate Authentication Failure on Web Interface</u>  2	<u>Scheduler</u>	<u>Fixed</u> r7383	<u>MOD</u>
2770	<u>Sample drivers do not properly handle SIGTERM!</u>  1	<u>Sample Drivers</u>	<u>Fixed</u> r7403	<u>HIGH</u>
2769	<u>Send jobs to an unplugged usb printer on linux increases cpu usage</u>  1	<u>Backends</u>	<u>Fixed</u> r7405	<u>LOW</u>
2777	<u>cups-driverd complains about missing directories</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7412	<u>LOW</u>
2778	<u>Extra "bar" banner page for job-sheets=foo.bar</u>	<u>Scheduler</u>	<u>Fixed</u> r7415	<u>HIGH</u>
2729	<u>CVE-2008-0047: cgiCompileSearch buffer overflow</u>  1	<u>CGI Programs</u>	<u>Fixed</u> r7420	<u>HIGH</u>
2765	<u>CVE-2008-1373: CUPS GIF image filter overflow</u>  3	<u>Image Filters</u>	<u>Fixed</u> r7420	<u>HIGH</u>
2788	<u>Logging issues to access log</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7436	<u>LOW</u>
2774	<u>Subscription web interface incorrectly uses guest account</u>  1	<u>CGI Programs</u>	<u>Fixed</u> r7438	<u>LOW</u>
2785	<u>Typo in INSTALL.txt (with Patch)</u>  1	<u>Documentation</u>	<u>Fixed</u> r7439	<u>LOW</u>
2787	<u>Content-Length if not given defaults to a large number of bytes making the server to wait for any data</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7440	<u>LOW</u>
2801	<u>The RSS notifier does not quote special characters in the feed URL</u>  1	<u>Notifiers</u>	<u>Fixed</u> r7451	<u>HIGH</u>
2805	<u>issue with image.c</u>  1	<u>Image Filters</u>	<u>Fixed</u> r7472	<u>MOD</u>
2782	<u>Satisfy any doesn't work for Print-Job/Create-Job</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7476	<u>MOD</u>
2783	<u>Multiple Kerberised CUPS servers on one host</u>  2	<u>Scheduler</u>	<u>Fixed</u> r7477	<u>MOD</u>
2789	<u>The scheduler should check for duplicate RSS subscription URIs</u>  1	<u>Scheduler</u>	<u>Fixed</u> r7478	<u>LOW</u>
2806	<u>Update job-printer-state-message when canceling a job</u>  1	<u>Scheduler</u>		<u>LOW</u>

			Fixed r7479	
2750	auth-info-required not set on browsed printer  1	Scheduler	Fixed r7480	MOD
2775	Scheduler doesn't return error for bad job-sheets  1	Scheduler	Fixed r7482	MOD
2810	cupsFileTell() returns invalid results for append mode (log files)  1	CUPS API	Fixed r7491	HIGH
2781	Some more problems with CGI handling  3	Scheduler	Fixed r7526	MOD
2815	Overzealous localization generates invalid URLs in web interface  1	Multiple	Fixed r7541	MOD
2849	crash on missing BrowseAddress  2	Scheduler	Fixed r7619	LOW
2845	old bug STR #1301 made it to current version lpstat -p reports wrong current job  1	System V Commands	Fixed r7620	LOW
2837	cups-deviced and cups-driverd should set CFProcessPath  2	Device Monitor	Fixed r7621	HIGH
2836	Multiple values of document-format-default in CUPS-Get-Printers response  2	Scheduler	Fixed r7623	MOD
2755	Performance problem after adding/modifying many printers  4	None	Fixed r7623	LOW
2828	The php extension isn't written for thread safety.  2	Scripting Support	Fixed r7624	MOD
2854	Cupstestppd gives unneeded warning with french locale  2	CUPS Commands	Fixed r7637	LOW
2764	No subscribable events for default printer change  1	Scheduler	Fixed r7638	LOW
2831	%%IncludeFeature: functionality not working correctly  2	PostScript Filter	Fixed r7639	LOW
2860	Fails to build with glibc 2.8: "struct ucred" needs GNU_SOURCE  1	Build Files	Fixed r7644	MOD
2861	HostNameLookups values documentation and interpretation skew  2	Multiple	Fixed r7645	LOW
2862	various manpage typos  2	Documentation	Fixed r7646	LOW
2858	CUPS SC CMD DRAIN OUTPUT may result in loss of print data in backend  1	Backends	Fixed r7647	LOW
2792	Indonesia translation  1	Documentation	Fixed r7650	LOW
2851	Add support for "Simplified Chinese" and "Traditional Chinese" language versions	Multiple	Fixed r7653	LOW
2865	Cupsd crashes if you try to enable a printer queue and the backend file is missing  2	Scheduler	Fixed r7682	HIGH
2866	embedded space in cupsfilter  1	Scheduler	Fixed r7723	MOD
2766	ImplicitClasses has no effect during failover  5	Scheduler	Fixed r7724	LOW
2874	cupstestppd always warns on Windows and Mac files  2			LOW

		<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r7727</u>	
2876	<u>Request of Japanese translations of cups.desktop</u>  1	<u>Documentation</u>	<u>Fixed</u> <u>r7728</u>	<u>LOW</u>
2880	<u>Request of Simplified Chinese translations of cups.desktop</u>  1	<u>Localization</u>	<u>Fixed</u> <u>r7769</u>	<u>LOW</u>
2887	<u>cupstestppd incorrectly looks for "en" base translation</u>	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r7781</u>	<u>LOW</u>
2889	<u>Cups custom ppd options not working according to documentation for JCL</u>  3	<u>CUPS API</u>	<u>Fixed</u> <u>r7786</u>	<u>LOW</u>
2892	<u>Firefox 3 and https connections</u>  3	<u>Scheduler</u>	<u>Fixed</u> <u>r7821</u>	<u>HIGH</u>
2910	<u>BrowseAddress @IF(xxx) doesn't work due to strange compare in cupsdNetIFUpdate()</u>  2	<u>Scheduler</u>	<u>Fixed</u> <u>r7861</u>	<u>HIGH</u>
2908	<u>cupsfilter PATH typo: filters do not have /bin in their PATH</u>  1	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r7862</u>	<u>MOD</u>
2909	<u>PJL: to return display to normal ready message, use "" instead of "READY"</u>  2	<u>CUPS API</u>	<u>Fixed</u> <u>r7863</u>	<u>LOW</u>
2904	<u>PostScript help document missing lots of content</u>	<u>Documentation</u>	<u>Fixed</u> <u>r7866</u>	<u>LOW</u>
2924	<u>cups.desktop file doesn't follow freedesktop spec</u>  2	<u>Config Files</u>	<u>Fixed</u> <u>r7909</u>	<u>LOW</u>
2920	<u>Initialize resolver after failure in cups-polld</u>  4	<u>CUPS API</u>	<u>Fixed</u> <u>r7910</u>	<u>LOW</u>
2937	<u>Do not clobber SSL cert/key permissions if they are symlinks</u>  2	<u>Scheduler</u>	<u>Fixed</u> <u>r7912</u>	<u>LOW</u>
2927	<u>No server-started/restarted/stopped events</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r7913</u>	<u>LOW</u>
2945	<u>CUPS-Get-Printers wrongly handles "printer-location"</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r7942</u>	<u>MOD</u>
2944	<u>CUPS-Get-Printers documentation error</u>  1	<u>Documentation</u>	<u>Fixed</u> <u>r7943</u>	<u>LOW</u>
2943	<u>debuglevel info shows different infos comparing 1.3.6. to 1.3.8</u>  1	<u>Scheduler</u>	<u>Fixed</u> <u>r7944</u>	<u>LOW</u>
2946	<u>CUPS webadmin accessing DNS for localhost name - even if HostNameLookups Off</u>  2	<u>Scheduler</u>	<u>Fixed</u> <u>r7950</u>	<u>LOW</u>
2956	<u>Set-Allowed-Users could lead to a loss of printers and/or classes</u>  1	<u>CGI Programs</u>	<u>Fixed</u> <u>r7983</u>	<u>LOW</u>
2951	<u>ipp stops after 'INFO: Printer busy; will retry in 10 seconds...'</u>  1	<u>Backends</u>	<u>Fixed</u> <u>r7986</u>	<u>LOW</u>
2911	<u>ZDI-CAN-367: Apple CUPS 1.3.7 (HP-GL/2 filter) Remote Code Execution Vulnerability</u>  2	<u>HP-GL/2 Filter</u>	<u>Fixed</u> <u>r8040</u>	<u>HIGH</u>
2918	<u>Multiple Vendor CUPS SGI imagetops Heap Overflow Vulnerability</u>  1	<u>Image Filters</u>	<u>Fixed</u> <u>r8040</u>	<u>HIGH</u>
2919	<u>Multiple Vendor CUPS texttops Integer Overflow Vulnerability</u>  1	<u>Text Filter</u>	<u>Fixed</u> <u>r8040</u>	<u>HIGH</u>
2974	<u>potential int overflow in cupsImageReadPNG()</u>  1	<u>Image Filters</u>	<u>Fixed</u> <u>r8064</u>	<u>LOW</u>
2979	<u>some contributed PPDs fail cupstestppd</u>	<u>Sample Drivers</u>		<u>MOD</u>

			Fixed r8074	
2970	don't install xinetd file to /no if --without-xinetd is passed to configure  2	Build Files	Fixed r8076	LOW
2988	Polling busy loop  1	Scheduler	Fixed r8108	MOD
2994	Typo in ref page help/ref-cupsd-conf.html	Documentation	Fixed r8119	LOW
2995	Update /help/network.html with Netgear print server info	Documentation	Fixed r8120	LOW
2997	compression option missencoded by library  2	CUPS API	Fixed r8121	LOW
2996	cupsd should not allow Get-Jobs without printer-uri attribute  1	Scheduler	Fixed r8122	LOW
2966	1.3.9 hpgltops breaks some previously working HPGL files  2	HP-GL/2 Filter	Fixed r8123	LOW
3001	backend runloop spins on backchannel EOF  2	Backends	Fixed r8129	MOD
3010	doesn't honour the "Connection: Close" HTTP client header  1	Scheduler	Fixed r8135	LOW
3008	lp: page selection with -P processed after number-up  1	System V Commands	Fixed r8136	LOW
3028	USB backend loops on Solaris  2	Backends	Fixed r8155	LOW
3025	Handling of job-hold-until="weekend" is wrong  1	Scheduler	Fixed r8156	LOW
3030	scheduler/quotas.c:cupsdUpdateQuota() fails to scan all of the (500 per default) last jobs  1	Scheduler	Fixed r8167	MOD
3029	side-channel CUPS SC_CMD_GET_BIDI command is broken  3	Backends	Fixed r8169	HIGH
3046	cups-driverd strips everything after the first right parenthesis from the *Product  3	Scheduler	Fixed r8213	LOW
3056	undocumented username@lpdhost/lpdqueue - works	Documentation	Fixed r8222	LOW
3022	Invalid server URI in printer/classes pages in the web interface  3	CGI Programs	Fixed r8223	LOW
3059	The schedulers mime.types parser gets it wrong sometimes  2	Scheduler	Fixed r8240	MOD
3077	Unable to adjust job-quota-period, job-k-limit or job-page-limit  1	CUPS API	Fixed r8294	HIGH
3078	Quotas not enforced  3	Scheduler	Fixed r8295	HIGH
3079	cups/http.c uses &data instead of data for RAND seed  2	CUPS API	Fixed r8304	HIGH
3106	Choice Keyword 'Custom' is Not Localized Properly  3	CUPS API	Fixed r8373	MOD
3107	cupsGetJobs() returns error "The printer or class was not found."  1	CUPS API	Fixed r8393	HIGH
3116	Cups client library cannot query for all jobs on server  1	Scheduler		HIGH

			Fixed r8393	
3113	environment variable LANG set to wrong value on Solaris 10	Scheduler	Fixed r8405	HIGH
3117	STR 2996 breaks lpq  2	Berkeley Commands	Fixed r8406	MOD
3125	Long job names cause problems with some PjL printers  3	CUPS API	Fixed r8426	LOW
3131	rastertohp: Send duplex OFF command if not desired  2	Sample Drivers	Fixed r8445	LOW
3130	The schedulers Restart-Job operation needs to honor "job-hold-until"  2	Scheduler	Fixed r8451	LOW
3118	CUPS may be vulnerable to DNS rebinding attacks  2	Scheduler	Fixed r8512	LOW
3147	cups fails to print on polled printers with client-error-not-authorized  1	Scheduler	Fixed r8528	LOW
3167	ServerName not treated as allowed Host: value  2	Scheduler	Fixed r8573	HIGH
3164	httpSetField needs to bracket IPv6 addresses for HTTP FIELD HOST  1	CUPS API	Fixed r8574	LOW
3159	Crash on startup with mime rule expressions in paranthesis using logical AND  1	Scheduler	Fixed r8577	MOD
3160	MIME rules starting with "!" are not parsed correctly.  3	Scheduler	Fixed r8580	LOW
3176	OpenBSD: Early end-of-file on POST data causes 100% CPU  3	CGI Programs	Fixed r8599	MOD
3196	non-portable issues and OpenBSD fix  4	Scheduler	Fixed r8644	LOW
3194	Incorrect CGI handling assumes line-based output  2	Scheduler	Fixed r8649	MOD
2881	Landscape PDF prints incorrectly with orientation-requested=4  6	PDF Filter	Fixed r8675	LOW
3221	POST'ing to a custom cgi fails  3	Scheduler	Fixed r8714	MOD
3211	Scheduler does not prevent classes containing local classes.  2	Scheduler	Fixed r8721	LOW
3013	'lp -H immediate' should override server side job-hold-until-default  1	System V Commands	Fixed r8141	LOW
3557	"Show Next" link is wrong	CGI Programs	Fixed 1.4.0	MOD
3430	Can't delete printers with % in name	CGI Programs	Fixed 1.4.0	LOW
3993	device_uri for Thinprint printers are truncated after #-symbol	None	Fixed 1.4.0	LOW
3641	pstops filter produces no output from gnuplot ps files.  1	PostScript Filter	Fixed 1.4.4	LOW
3792	IPP-Options are attached to a printer-uri  1	Scheduler	Fixed 1.4.7	LOW
3215	cups cannot be built with gnutls 2.8.0	Build Files	Fixed 1.4b3	MOD
3220	libgnutls-config is deprecated	Build Files	Fixed 1.4b3	MOD
3623	Printing is slow by 5 sec for bulk print orders with the delay of 5 seconds after upgrading the the cups	Backends	Fixed 1.5-current	HIGH
3299	malformed DNS-SD data published for raw printer  1	Scheduler		LOW

			<u>Fixed</u> <u>r8776</u>	
<u>3319</u>	<u>hpgltops filter loops if LB command unterminated</u>  <u>1</u>	<u>HP-GL/2 Filter</u>	<u>Fixed</u> <u>r8820</u>	<u>MOD</u>
<u>3313</u>	<u>pam_unix2 does not support key word shadow</u>  <u>1</u>	<u>Config Files</u>	<u>Fixed</u> <u>r8824</u>	<u>LOW</u>
<u>3200</u>	<u>A misbehaving client can *crush* the scheduler</u>  <u>3</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r8888</u>	<u>MOD</u>
<u>3421</u>	<u>cupstestppd does not report bad *JobPatchFile PPD syntax</u>  <u>1</u>	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r8899</u>	<u>LOW</u>
<u>3451</u>	<u>Listen and Access documentation is unclear about IPv6</u>  <u>1</u>	<u>Documentation</u>	<u>Fixed</u> <u>r8930</u>	<u>LOW</u>
<u>3609</u>	<u>mailto notifier can run into an infinite loop</u>  <u>2</u>	<u>Notifiers</u>	<u>Fixed</u> <u>r9195</u>	<u>MOD</u>
<u>3615</u>	<u>cupsaddsmb goes to an infinity loop if</u> <u>cupsAdminExportSamba has a negative response</u>  <u>2</u>	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r9243</u>	<u>LOW</u>
<u>3613</u>	<u>Setting location or information for a class is impossible with</u> <u>lpadmin</u>  <u>1</u>	<u>CUPS</u> <u>Commands</u>	<u>Fixed</u> <u>r9245</u>	<u>MOD</u>
<u>4205</u>	<u>CUPS-Get-Printers and auth-info-required</u>  <u>1</u>	<u>Scheduler</u>	<u>Fixed</u> <u>r10749</u>	<u>LOW</u>
<u>2542</u>	<u>_http_s not defined in installed headers</u>	<u>CUPS API</u>	<u>None</u>	<u>MOD</u>
<u>4051</u>	<u>page.log doesn't reflect pages while error.log does</u>	<u>None</u>	<u>None</u>	<u>MOD</u>
<u>2504</u>	<u>German translation: wrong button filename</u>	<u>None</u>	<u>None</u>	<u>LOW</u>
<u>2813</u>	<u>"Set allowed users" makes web page printers invisible even to</u> <u>allowed users</u>	<u>None</u>	<u>None</u>	<u>LOW</u>
<u>3549</u>	<u>Broadcasted printer URLs contain symbolic hostname despite</u> <u>HostNameLookups off</u>	<u>Scheduler</u>	<u>None</u>	<u>LOW</u>
<u>2335</u>	<u>parsing the enclosed PPD file fails to see the filters located</u> <u>near the end</u>  <u>1</u>	<u>CUPS API</u>	<u>Will Not</u> <u>Fix</u>	<u>HIGH</u>