





































# Roadmap






















## CUPS 1.4 (2 Bugs, 429 Fixed/Pending)

































CUPS 1.4.x is a former stable branch. It is no longer being maintained, and any bug fixes will be applied against CUPS 1.6.x.




























| STR #                | Summary  | Subsystem                     | Status                                | Priority             |
|----------------------|--|-------------------------------|---------------------------------------|----------------------|
| <a href="#">4273</a> | <a href="#">cupsfilter does not set "CHARSET=utf-8" into environment of texttops</a>   |                               | <a href="#">New</a>                   | <a href="#">HIGH</a> |
| <a href="#">4269</a> | <a href="#">Cannot print from cups server ERROR AUTHENTICATE</a>   | <a href="#">None</a>          | <a href="#">Active</a>                | <a href="#">LOW</a>  |
| <a href="#">1679</a> | <a href="#">Face-up printers should have option to print last-to-first pages</a>   | <a href="#">Scheduler</a>     | <a href="#">Fixed 1.1.14 or older</a> | <a href="#">RFE</a>  |
| <a href="#">2196</a> | <a href="#">Cancel one or all jobs assigned to a printer for a specific user.</a>  | <a href="#">Multiple</a>      | <a href="#">Fixed 1.1.20</a>          | <a href="#">RFE</a>  |
| <a href="#">2496</a> | <a href="#">Include a "status" option for the cups(stop/start) script for AIX/Solaris.</a>   | <a href="#">Config Files</a>  | <a href="#">Fixed 1.3.0</a>           | <a href="#">RFE</a>  |
| <a href="#">2821</a> | <a href="#">Web interface programs not working reliably</a>  1  | <a href="#">Scheduler</a>     | <a href="#">Fixed 1.4-current</a>     | <a href="#">CRIT</a> |
| <a href="#">3206</a> | <a href="#">cups 1.4 beta3 segfaults</a>  4   | <a href="#">Scheduler</a>     | <a href="#">Fixed 1.4-current</a>     | <a href="#">HIGH</a> |
| <a href="#">3462</a> | <a href="#">"completed jobs" and "All jobs" tabs not working</a>   | <a href="#">CGI Programs</a>  | <a href="#">Fixed 1.4-current</a>     | <a href="#">HIGH</a> |
| <a href="#">3153</a> | <a href="#">Developer documentation needs some improvements</a>  | <a href="#">Documentation</a> | <a href="#">Fixed 1.4-current</a>     | <a href="#">LOW</a>  |
| <a href="#">1655</a> | <a href="#">Add SNMP page counter and printer status support to socket and lpd backends</a>  | <a href="#">Backends</a>      | <a href="#">Fixed 1.4-current</a>     | <a href="#">RFE</a>  |
| <a href="#">2433</a> | <a href="#">Update SNMP backend to do port probes at print-time</a>  | <a href="#">Backends</a>      | <a href="#">Fixed 1.4-current</a>     | <a href="#">RFE</a>  |
| <a href="#">2674</a> | <a href="#">Add support for kDNSServiceFlagsShareConnection</a>  | <a href="#">Scheduler</a>     | <a href="#">Fixed 1.4-current</a>     | <a href="#">RFE</a>  |
| <a href="#">2864</a> | <a href="#">More information in testpage</a>   | <a href="#">Data Files</a>    | <a href="#">Fixed 1.4-current</a>     | <a href="#">RFE</a>  |
| <a href="#">1473</a> | <a href="#">Support for caching PPDs for remote queues</a>  1   | <a href="#">CUPS API</a>      | <a href="#">Fixed r6870</a>           | <a href="#">RFE</a>  |
| <a href="#">2003</a> | <a href="#">Cupsd command line for testing the config file</a>  1   | <a href="#">Scheduler</a>     | <a href="#">Fixed r6875</a>           | <a href="#">RFE</a>  |
| <a href="#">2367</a> | <a href="#">Please add support for GNU/kFreeBSD</a>  1  | <a href="#">Multiple</a>      | <a href="#">Fixed r6876</a>           | <a href="#">RFE</a>  |
| <a href="#">118</a>  | <a href="#">Add possibility to request print job file</a>  1  | <a href="#">Scheduler</a>     | <a href="#">Fixed r6879</a>           | <a href="#">RFE</a>  |
| <a href="#">2492</a> | <a href="#">Update web interface look-n-feel</a>   | <a href="#">CGI Programs</a>  | <a href="#">Fixed r6902</a>           | <a href="#">RFE</a>  |
| <a href="#">1175</a> | <a href="#">Printer display gives inadequate information to non-administrators</a>  1                           | <a href="#">CGI Programs</a>  | <a href="#">Fixed r6909</a>           | <a href="#">RFE</a>  |
| <a href="#">2436</a> | <a href="#">Web Interface: If there is no PPD for a printer first PPD of the manufacturer is highlighted</a>  1 | <a href="#">CGI Programs</a>  | <a href="#">Fixed r6929</a>           | <a href="#">RFE</a>  |
| <a href="#">2233</a> | <a href="#">Better word than 'Unpublish' when shared printers not published</a>  1                              | <a href="#">CGI Programs</a>  | <a href="#">Fixed r6930</a>           | <a href="#">RFE</a>  |

























|      |   |                   |             |      |
|------|---|-------------------|-------------|------|
| 1645 | <a href="#">Web Interface: printer wizard "device" page needs usability improvements</a> 2                  | CGI Programs      | Fixed r6989 | RFE  |
| 2634 | <a href="#">WEBBUTTONS undefined leads to "make install" failure in doc/Makefile</a>                        | Build Files       | Fixed r7126 | MOD  |
| 2633 | <a href="#">Multiple header warnings on 1.4svn-r7122</a>  | CUPS API          | Fixed r7127 | LOW  |
| 2637 | <a href="#">adding remote host information to pam</a> 1   | Scheduler         | Fixed r7149 | RFE  |
| 2638 | <a href="#">Add cupsGetNamedDest() API for faster command-line printing</a> 1                               | Multiple          | Fixed r7150 | RFE  |
| 2261 | <a href="#">extend API to add streaming print function cupsPrintStream</a> 2                                | Multiple          | Fixed r7170 | RFE  |
| 1471 | <a href="#">Replacing xpdf3 derived backend of pdftops with poppler</a> 10                                  | PDF Filter        | Fixed r7202 | RFE  |
| 2691 | <a href="#">"lprm" does not cancel current job</a> 1  | Berkeley Commands | Fixed r7261 | HIGH |
| 2759 | <a href="#">make check fails on 4.3-job-ops.test (PDF printing)</a>   | Test Framework    | Fixed r7389 | MOD  |
| 2716 | <a href="#">Unable to print PDFs with CUPS 1.4 due to bugs in the new PDF filter</a> 2                      | PDF Filter        | Fixed r7390 | HIGH |
| 2743 | <a href="#">Missing newlines in stderr output</a> 1   | PDF Filter        | Fixed r7391 | LOW  |
| 2737 | <a href="#">Add support for Mac OS X .strings files in addition to .po</a>                                  | PPD Compiler      | Fixed r7407 | RFE  |
| 2736 | <a href="#">Please add language "Hungarian" language code "hu" to ppdmerge</a>                              | PPD Compiler      | Fixed r7408 | RFE  |
| 2780 | <a href="#">pdftops does not handle EINTR</a> 2   | PDF Filter        | Fixed r7443 | MOD  |
| 2684 | <a href="#">cupsd writes printers.conf, classes.conf, and subscriptions.conf too often</a> 1                | Scheduler         | Fixed r7468 | MOD  |
| 2808 | <a href="#">New pdftops does not correctly wait for child on cancel</a> 3                                   | Scheduler         | Fixed r7479 | MOD  |
| 2820 | <a href="#">cupsAdmin functions do not support CUPS HTTP DEFAULT</a>  | CUPS API          | Fixed r7576 | HIGH |
| 2822 | <a href="#">[Compile error on Linux] http-support.c:1500: undefined reference to `TXTRecordGetValuePtr'</a> | Multiple          | Fixed r7585 | MOD  |
| 2739 | <a href="#">Add test (-t) option to PPD compiler</a>  | PPD Compiler      | Fixed r7597 | RFE  |
| 2740 | <a href="#">Add FileName directive to PPD compiler</a>  | PPD Compiler      | Fixed r7597 | RFE  |
| 2636 | <a href="#">conditional directives</a> 1  | PPD Compiler      | Fixed r7604 | RFE  |
| 2738 | <a href="#">Add support for Localizable Attributes</a> 1  | PPD Compiler      | Fixed r7607 | RFE  |
| 2754 | <a href="#">Translating cupsIPReason strings</a>  | Localization      | Fixed r7607 | RFE  |
| 2660 | <a href="#">Documentation for custom options</a> 1  | Multiple          | Fixed r7668 | LOW  |
| 2719 | <a href="#">Also search MIME files in DataDir/mime</a> 3  | Scheduler         | Fixed r7670 | LOW  |
| 2872 | <a href="#">ppdc does not parse Localizable.strings correctly</a> 2   | PPD Compiler      | Fixed r7712 | HIGH |
| 2871 | <a href="#">ppdc does not output OID query attributes</a> 2   | PPD Compiler      | Fixed r7713 | MOD  |
| 2877 | <a href="#">Increase device id field length in ppd_rec_t</a>  | Scheduler         | Fixed r7744 | LOW  |
| 1575 | <a href="#">Let the "usb" backend use libusb instead of the usbldp kernel module</a> 5                      | Backends          | Fixed r7790 | RFE  |
| 263  | <a href="#">tcpwrapper support</a> 2  | Scheduler         | Fixed r7798 | RFE  |
| 1477 | <a href="#">Add Solaris 10 SMF Support</a> 1  | Config Files      | Fixed r7799 | RFE  |
| 1962 | <a href="#">LDAP Browse Improvements</a> 18   | Scheduler         | Fixed r7800 | RFE  |
| 1729 | <a href="#">CUPS web UI should support new UIOption types (int, string, password)</a> 4                     | CGI Programs      | Fixed r7801 | RFE  |
| 2853 |   | Notifiers         | Fixed r7824 | RFE  |






























|      |   |                                    |                    |            |
|------|---|------------------------------------|--------------------|------------|
|      | <u>Creating an RSS subscription does not immediately create an RSS file</u>  1                           |                                    |                    |            |
| 2146 | <u>Handle certificate chains</u>  1  | <u>Scheduler</u>                   | <u>Fixed r7825</u> | <u>RFE</u> |
| 2101 | <u>Password prompting behaviour should be better</u>  1  | <u>Multiple</u>                    | <u>Fixed r7826</u> | <u>RFE</u> |
| 2555 | <u>Add error-policy to retry current job forever</u>  1  | <u>Multiple</u>                    | <u>Fixed r7828</u> | <u>RFE</u> |
| 2616 | <u>Log failed IPP requests as errors</u>  1  | <u>Scheduler</u>                   | <u>Fixed r7829</u> | <u>RFE</u> |
| 2745 | <u>Add some PAM properties</u>  1  | <u>Scheduler</u>                   | <u>Fixed r7830</u> | <u>RFE</u> |
| 2723 | <u>Patch to fix automagic dependencies on acl</u>  1   | <u>Build Files</u>                 | <u>Fixed r7831</u> | <u>RFE</u> |
| 2794 | <u>A -Hserver:port option for cups-lpd</u>  2  | <u>LPD</u><br><u>Mini-Daemon</u>   | <u>Fixed r7832</u> | <u>RFE</u> |
| 2724 | <u>Replace htmlview command with xdg-open in the cups.desktop file</u>  2                                | <u>Config Files</u>                | <u>Fixed r7833</u> | <u>RFE</u> |
| 2798 | <u>rastertohp: Add PCL sequence for A5 page size</u>  1  | <u>Sample Drivers</u>              | <u>Fixed r7834</u> | <u>RFE</u> |
| 2898 | <u>manpage at cups-lpd did not compile</u>  | <u>Documentation</u>               | <u>Fixed r7835</u> | <u>MOD</u> |
| 2482 | <u>reenable 'N' parameter examination from the control file of lpd protocol (Name of source file)</u>  2 | <u>LPD</u><br><u>Mini-Daemon</u>   | <u>Fixed r7899</u> | <u>RFE</u> |
| 2903 | <u>Add cupsJobTicket support for PDF files</u>  2  | <u>Scheduler</u>                   | <u>Fixed r7901</u> | <u>RFE</u> |
| 2558 | <u>Provide IPP "job-originating-host-name" via ENV Variable to backend</u>  2                            | <u>Scheduler</u>                   | <u>Fixed r7902</u> | <u>RFE</u> |
| 2848 | <u>DefaultPaperSize directive in cupsd.conf</u>  1   | <u>Scheduler</u>                   | <u>Fixed r7904</u> | <u>RFE</u> |
| 2923 | <u>Use php-cgi, not php</u>  1   | <u>Build Files</u>                 | <u>Fixed r7915</u> | <u>LOW</u> |
| 2529 | <u>D-Bus notifier</u>  2   | <u>Multiple</u>                    | <u>Fixed r7916</u> | <u>RFE</u> |
| 2536 | <u>'BindErrorFatal' cupsd.conf option</u>  3  | <u>Scheduler</u>                   | <u>Fixed r7918</u> | <u>RFE</u> |
| 2833 | <u>Let lpstat report whereto clients connect by default</u>  1   | <u>System V</u><br><u>Commands</u> | <u>Fixed r7921</u> | <u>RFE</u> |
| 2882 | <u>update locale/translate.c to match google site changes</u>   | <u>Localization</u>                | <u>Fixed r7922</u> | <u>RFE</u> |
| 2936 | <u>Please allow invocation of 'accept' as cupsaccept/cupsreject, too</u>  1                            | <u>System V</u><br><u>Commands</u> | <u>Fixed r7932</u> | <u>RFE</u> |
| 2567 | <u>Add documentation on CUPS browse protocol</u>  | <u>Documentation</u>               | <u>Fixed r7934</u> | <u>RFE</u> |
| 2827 | <u>SSL interoperability with Windows in FIPS compliance mode</u>  1                                    | <u>Scheduler</u>                   | <u>Fixed r7935</u> | <u>RFE</u> |
| 2562 | <u>"cupsfilter" command should also support the printer driver filter specified in the PPD</u>  1      | <u>CUPS</u><br><u>Commands</u>     | <u>Fixed r7936</u> | <u>RFE</u> |
| 2799 | <u>Allow filters and backends to differentiate between a job and its banner page(s)</u>  1             | <u>Scheduler</u>                   | <u>Fixed r7962</u> | <u>RFE</u> |
| 2947 | <u>Support multiple addresses in Allow and Deny lines (like Apache)</u>  1                             | <u>Scheduler</u>                   | <u>Fixed r7963</u> | <u>RFE</u> |
| 1919 | <u>Modify Printer from Web interface should be more refined and selective</u>   | <u>CGI Programs</u>                | <u>Fixed r7969</u> | <u>RFE</u> |
| 1440 | <u>admin/?op=config-printer should query printer for initial defaults</u>   | <u>CGI Programs</u>                | <u>Fixed r7981</u> | <u>RFE</u> |
| 2388 | <u>cups should not create large chunks of memory on the stack</u>  2                                   | <u>CUPS API</u>                    | <u>Fixed r7990</u> | <u>RFE</u> |
| 2490 | <u>Implement standard application/vnd.cups-banner file format</u>   | <u>Multiple</u>                    | <u>Fixed r7999</u> | <u>RFE</u> |
| 2707 | <u>Improve ppd-device-id matching with CUPS-Get-PPDs</u>  1  | <u>Scheduler</u>                   | <u>Fixed r8029</u> | <u>RFE</u> |
| 1293 | <u>Cache printer attributes and PPD data</u>  1  | <u>Scheduler</u>                   | <u>Fixed r8034</u> | <u>RFE</u> |
| 2843 | <u>lpstat -o &lt;printer&gt; is slow while lpstat -o is fast</u>  1                                    |                                    | <u>Fixed r8043</u> | <u>LOW</u> |

|             |  | <u>System V<br/>Commands</u> |                    |             |
|-------------|--|------------------------------|--------------------|-------------|
| <u>2332</u> | <u>add command to make all queues reject new jobs at once</u><br> 1                       | <u>Multiple</u>              | <u>Fixed r8044</u> | <u>RFE</u>  |
| <u>2826</u> | <u>Merge PPD compiler and CUPS message catalogs</u>  | <u>Localization</u>          | <u>Fixed r8047</u> | <u>MOD</u>  |
| <u>2863</u> | <u>ppdmerge does not merge custom option localizations correctly</u><br> 1                | <u>CUPS<br/>Commands</u>     | <u>Fixed r8050</u> | <u>HIGH</u> |
| <u>2642</u> | <u>Inconsistent translations</u><br> 1  | <u>PPD Compiler</u>          | <u>Fixed r8051</u> | <u>LOW</u>  |
| <u>2978</u> | <u>Current add printer interface unusable when there are no matches</u>  | <u>CGI Programs</u>          | <u>Fixed r8073</u> | <u>HIGH</u> |
| <u>2992</u> | <u>printers.h declares cupsdSanitizeURI but printers.c doesn't provide it</u>  | <u>Scheduler</u>             | <u>Fixed r8109</u> | <u>LOW</u>  |
| <u>2989</u> | <u>ppdc does not parse Localizable.strings correctly</u><br> 1                            | <u>PPD Compiler</u>          | <u>Fixed r8111</u> | <u>HIGH</u> |
| <u>2990</u> | <u>ppdc adds uninitialized strings to the catalog</u><br> 1                               | <u>PPD Compiler</u>          | <u>Fixed r8112</u> | <u>HIGH</u> |
| <u>2983</u> | <u>headline typo at specc-ipp documentation</u>  | <u>Documentation</u>         | <u>Fixed r8130</u> | <u>LOW</u>  |
| <u>2998</u> | <u>Typo in What's New in CUPS 1.4</u>  | <u>Documentation</u>         | <u>Fixed r8131</u> | <u>LOW</u>  |
| <u>3000</u> | <u>Typo in "What's New in CUPS 1.4"</u>  | <u>Documentation</u>         | <u>Fixed r8131</u> | <u>LOW</u>  |
| <u>3012</u> | <u>Redirection page doesn't work in web interface</u><br> 1                               | <u>CGI Programs</u>          | <u>Fixed r8138</u> | <u>LOW</u>  |
| <u>3015</u> | <u>CUPS 1.4b1 Spanish translation</u><br> 1   | <u>Localization</u>          | <u>Fixed r8171</u> | <u>LOW</u>  |
| <u>3021</u> | <u>DefaultEncryption option missing from cupsd.conf manpage</u>  | <u>Documentation</u>         | <u>Fixed r8172</u> | <u>LOW</u>  |
| <u>3014</u> | <u>Localization of device-info field in backends programs</u><br> 2                       | <u>Backends</u>              | <u>Fixed r8173</u> | <u>RFE</u>  |
| <u>3037</u> | <u>Set default value for BrowseLocalProtocols in cupsd.conf from configuration</u><br> 1 | <u>Config Files</u>          | <u>Fixed r8188</u> | <u>MOD</u>  |
| <u>3047</u> | <u>Cannot compile cups 1.4b2 (not linked against libdns_sd)</u><br> 2                   | <u>Build Files</u>           | <u>Fixed r8224</u> | <u>MOD</u>  |
| <u>3040</u> | <u>CUPS doesn't install all the localization directories and files</u><br> 2            | <u>Build Files</u>           | <u>Fixed r8225</u> | <u>LOW</u>  |
| <u>3043</u> | <u>New revision of Spanish localization for CUPS 1.4b2</u><br> 1                        | <u>Localization</u>          | <u>Fixed r8228</u> | <u>LOW</u>  |
| <u>3045</u> | <u>Translate the value string when it is equal with the key string.</u><br> 2           | <u>PPD Compiler</u>          | <u>Fixed r8229</u> | <u>LOW</u>  |
| <u>3057</u> | <u>Errors on doc/help hetml files</u>  | <u>Documentation</u>         | <u>Fixed r8239</u> | <u>LOW</u>  |
| <u>3044</u> | <u>Add printer sharing help document</u>   | <u>Documentation</u>         | <u>Fixed r8242</u> | <u>RFE</u>  |
| <u>3049</u> | <u>Cups web administration dosen't work in most browsers</u><br> 1                      | <u>CGI Programs</u>          | <u>Fixed r8243</u> | <u>LOW</u>  |
| <u>3062</u> | <u>pdftops specifies page size to Ghostscript in a wrong way</u><br> 1                  | <u>PDF Filter</u>            | <u>Fixed r8286</u> | <u>MOD</u>  |
| <u>3063</u> | <u>pdftops does not support multi-page-size documents or page size determined by document</u>  | <u>PDF Filter</u>            | <u>Fixed r8286</u> | <u>MOD</u>  |
| <u>3071</u> | <u>Cannot Change UIConstraints in the web interface</u><br> 3                           | <u>CGI Programs</u>          | <u>Fixed r8287</u> | <u>MOD</u>  |
| <u>3072</u> | <u>Too long device URI becomes invalid after adding printer</u><br> 1                   | <u>Multiple</u>              | <u>Fixed r8289</u> | <u>LOW</u>  |
| <u>3065</u> | <u>DNS Service Discovery feature not working with older systems</u><br> 2               | <u>Build Files</u>           | <u>Fixed r8290</u> | <u>MOD</u>  |
| <u>3082</u> | <u>cupsGetNamedDest() fails if lptions has incorrect default</u><br> 2                  | <u>CUPS API</u>              | <u>Fixed r8306</u> | <u>LOW</u>  |
| <u>3084</u> | <u>ppdc does not properly search for message catalogs</u><br> 2                         | <u>PPD Compiler</u>          | <u>Fixed r8309</u> | <u>HIGH</u> |
| <u>3086</u> | <u>Better to declare all HTML pages as HTML 4.01 rather than HTML 4.0</u><br> 2         | <u>Multiple</u>              | <u>Fixed r8315</u> | <u>LOW</u>  |

|      |   |                |             |      |
|------|---|----------------|-------------|------|
| 3085 | Printer or class URL link in "Move all jobs" is invalid.  1  | Multiple       | Fixed r8316 | LOW  |
| 3090 | Missing Spanish translations from catalog file in r8329  1   | Localization   | Fixed r8330 | LOW  |
| 3089 | Use Ghostscript for the pdftops filter by default as Poppler's pdftops does not support documents with pages of different sizes  1 | Build Files    | Fixed r8335 | RFE  |
| 3095 | "Select Another Make/Manufacturer" button does not work.  1  | CGI Programs   | Fixed r8343 | LOW  |
| 3096 | Japanese Translations for CUPS 1.4b2  1  | Localization   | Fixed r8361 | LOW  |
| 3098 | Russian translation of CUPS 1.4b2  1   | Localization   | Fixed r8361 | LOW  |
| 3108 | cups-deviced can miss backend output  1  | Scheduler      | Fixed r8388 | HIGH |
| 3109 | Japanese Translations for CUPS 1.4b2 (cups_ja.po correction)  1  | Localization   | Fixed r8389 | LOW  |
| 3111 | Polish translation  1  | Localization   | Fixed r8391 | LOW  |
| 3124 | LanguageVersion comparison should be case-insensitive  2   | Scheduler      | Fixed r8442 | MOD  |
| 3135 | Spanish message catalog updated r8449  1   | Localization   | Fixed r8452 | LOW  |
| 3136 | CUPS-Get-PPDs PPD matching fixes  2  | Scheduler      | Fixed r8454 | LOW  |
| 3139 | Printer lines not written to classes.conf  1   | Scheduler      | Fixed r8458 | HIGH |
| 3132 | A template page is returned instead of the result when searching with search field in the printers list page.  1                   | CGI Programs   | Fixed r8464 | LOW  |
| 3141 | German translation  2  | Localization   | Fixed r8483 | LOW  |
| 2953 | Support for setting per-connection password callback  2  | CUPS API       | Fixed r8571 | RFE  |
| 3171 | Error Policy of classes  1  | Multiple       | Fixed r8581 | LOW  |
| 3094 | Destination list for moving all jobs has no item when only a printer is registered.  2   | CGI Programs   | Fixed r8583 | LOW  |
| 3178 | gnutls-2.7* no longer include gnutls-config  2   | Build Files    | Fixed r8591 | MOD  |
| 3152 | ppdi issues  1   | PPD Compiler   | Fixed r8606 | MOD  |
| 3133 | Cannot modify existing Raw printer queue, a error message says that a PPD file is inexistent.  1                                 | CGI Programs   | Fixed r8612 | LOW  |
| 2624 | EPSON 24-pin driver page length/alignment issues  1  | Sample Drivers | Fixed r8615 | MOD  |
| 3185 | cups-drivervd hangs in infinite loop when there is bad symlink in a PPD directory  1   | Scheduler      | Fixed r8616 | LOW  |
| 3197 | IPP TAG DELETEATTR double-free crash  2  | CUPS API       | Fixed r8629 | HIGH |
| 3158 | Order of filters in .types rules not clearly specified  1  | Documentation  | Fixed r8652 | LOW  |
| 3173 | Documentation for CUPS-Move-Job IPP operation incomplete  1  | Documentation  | Fixed r8653 | LOW  |
| 3179 | Update policy help  | Documentation  | Fixed r8654 | LOW  |
| 3198 | [patch] fix -fstack-protector support check  1   | Build Files    | Fixed r8655 | LOW  |
| 3193 | Should return HTTP_FORBIDDEN for policy-based denials  1   | Scheduler      | Fixed r8674 | RFE  |
| 3203 | Add (and document) predefined macros / definitions to ppdc  1  | PPD Compiler   | Fixed r8678 | RFE  |
| 3205 | Compilation error (libpaper) and crash  3  | Scheduler      | Fixed r8683 | HIGH |
| 3204 | Missing Spanish translations from catalog file. Revision 8682  1   | Localization   | Fixed r8684 | LOW  |
| 3209 | libcups.a installed with 555 permissions, making ranlib fail  1  | Build Files    | Fixed r8686 | LOW  |

|      |   |               |                   |      |
|------|---|---------------|-------------------|------|
| 3210 | <a href="#"><u>ppdc: #if...#endif block in .drv files not processed as documented by PPD Compiler</u></a>  2 | PPD Compiler  | Fixed r8687       | MOD  |
| 3212 | <a href="#"><u>Localization information missing from PPD compiler documentation</u></a>   | Documentation | Fixed r8702       | LOW  |
| 3223 | <a href="#"><u>New Spanish message catalog revision</u></a>  1   | Localization  | Fixed r8713       | LOW  |
| 3229 | <a href="#"><u>Templates contain HTML errors</u></a>  2  | CGI Programs  | Fixed r8717       | HIGH |
| 3225 | <a href="#"><u>Add Mac OS X guidelines for STATE, ATTR, and INFO/WARNING/ERROR messages</u></a>   | Documentation | Fixed r8718       | LOW  |
| 3230 | <a href="#"><u>Document temporary file behavior of cupsGetPPD</u></a>  1                                     | Documentation | Fixed r8725       | LOW  |
| 3231 | <a href="#"><u>lpadmin from 1.4rc1 fails to admin 1.3.10 remotely</u></a>  2                                 | CUPS API      | Fixed r8736       | MOD  |
| 3244 | <a href="#"><u>Web interface does not show current printer option values</u></a>  1                          | CGI Programs  | Fixed r8737       | MOD  |
| 3246 | <a href="#"><u>New Japanese message catalog revision</u></a>  1  | Localization  | Fixed r8743       | LOW  |
| 3248 | <a href="#"><u>Last Spanish message catalog revision</u></a>  1  | Localization  | Fixed r8744       | LOW  |
| 3254 | <a href="#"><u>CUPS-Get-PPDs fails when ppd-make-and-model contains "+"</u></a>  1                           | Scheduler     | Fixed r8746       | HIGH |
| 3253 | <a href="#"><u>Avoid crashing on bad job control files</u></a>  2  | Scheduler     | Fixed r8747       | MOD  |
| 3242 | <a href="#"><u>Enhancing Allow documentation</u></a>  | Documentation | Fixed r8750       | LOW  |
| 3250 | <a href="#"><u>CUPS translated to Basque language</u></a>  2   | Localization  | Fixed r8751       | LOW  |
| 3256 | <a href="#"><u>cupsdRemoveSelect() not calling cupsArrayRemove() if kevent() fails</u></a>  2                | Scheduler     | Fixed r8753       | MOD  |
| 3258 | <a href="#"><u>job-hold-until not working for remote IPP queues</u></a>  2                                   | Scheduler     | Fixed r8754       | MOD  |
| 3259 | <a href="#"><u>Device URIs are not stable between releases</u></a>  1                                       | Backends      | Fixed r8755       | LOW  |
| 3260 | <a href="#"><u>enhance cupsd.conf documentation regarding "DirtyCleanInterval"</u></a>  2                  | Documentation | Fixed r8756       | LOW  |
| 3266 | <a href="#"><u>Garbage trailing bytes on device ID</u></a>  1  | Backends      | Fixed r8757       | MOD  |
| 3272 | <a href="#"><u>Wrong args to sigaction() in dnssd backend</u></a>  1                                       | Backends      | Fixed r8758       | MOD  |
| 3277 | <a href="#"><u>Duplex test page fails on page 2</u></a>  1   | Banner Filter | Fixed r8759       | LOW  |
| 3278 | <a href="#"><u>full path in 'configure --with-pdftops=...'</u></a>  2                                      | Build Files   | Fixed r8760       | LOW  |
| 3875 | <a href="#"><u>Backends not working after updating to Mac OS 10.6.8</u></a>  1                             | Backends      | Fixed r9853       | HIGH |
| 3467 | <a href="#"><u>View Multiple printers in Class web page</u></a>  1   | CGI Programs  | Fixed r6858       | LOW  |
| 3496 | <a href="#"><u>Spelling mistakes in the german translation</u></a>  1                                      | Localization  | Fixed 1.4.2       | LOW  |
| 3637 | <a href="#"><u>cups dies when trying to process old job to an unreachable printer</u></a>   | Scheduler     | Fixed 1.4.3       | HIGH |
| 3497 | <a href="#"><u>Spelling mistakes in the german translation</u></a>  1                                      | Localization  | Fixed 1.4.3       | LOW  |
| 3550 | <a href="#"><u>typo in german ent</u></a>  1   | Localization  | Fixed 1.4.3       | LOW  |
| 3682 | <a href="#"><u>SIGHUP causes segmentation fault in cups_array_find</u></a>  4                              | Scheduler     | Fixed 1.4.4       | MOD  |
| 3724 | <a href="#"><u>Broken Custom options passed to Cups crash filter</u></a>  1                                | CUPS API      | Fixed 1.4.5       | MOD  |
| 3709 | <a href="#"><u>Reference documentation for cupsd.conf: Error describing "SSLOptions"</u></a>  | Documentation | Fixed 1.4.5       | LOW  |
| 3952 | <a href="#"><u>JobFiles aren't deleted as selected by PreserveJobFiles/MaxJobs</u></a>  | Scheduler     | Fixed 1.4.7       | HIGH |
| 3859 | <a href="#"><u>Bad device-uri "socket://192.168.1.2:9100?waiteof=false"</u></a>   | Documentation | Fixed 1.4.7       | LOW  |
| 3896 | <a href="#"><u>netowrk backends crashing</u></a>  1  | Backends      | Fixed 1.5-current | HIGH |
| 3402 | <a href="#"><u>usb-unix.c won't compile on NetBSD</u></a>   | Backends      | Fixed             | MOD  |


























|      |   |               |                             |      |
|------|---|---------------|-----------------------------|------|
|      |   |               | 1.5-current                 |      |
| 3579 | Cannot compile libcups2.dll on Windows XP Pro (r9135)   | Build Files   | <u>Fixed</u><br>1.5-current | MOD  |
| 3655 | cupsd can terminate with a SIGSEGV when adding a printer  | Scheduler     | <u>Fixed</u><br>1.5-current | MOD  |
| 3836 | statfs on Solaris is not what cups thinks ...  1                                       | Scheduler     | <u>Fixed</u><br>1.5-current | MOD  |
| 3878 | httpSeparateURI not handling combination of port and option correctly  1               | Documentation | <u>Fixed</u><br>1.5-current | MOD  |
| 3396 | typo in german translation  | Localization  | <u>Fixed</u><br>1.5-current | LOW  |
| 3454 | CUPS 1.4.1 crashes on response to remote IPP request  1                                | Scheduler     | <u>Fixed</u><br>1.5-current | LOW  |
| 3470 | jobs-header.tmpl do no render correctly all variables   | CGI Programs  | <u>Fixed</u><br>1.5-current | LOW  |
| 3509 | backend/scsi.c probably not GPL compatible (BSD With Advertising)   | Backends      | <u>Fixed</u><br>1.5-current | LOW  |
| 3284 | Incorrect MIME type rules for image/jpeg and /x-bitmap  1                              | Config Files  | Fixed r8777                 | MOD  |
| 3292 | JobKillDelay not triggered for cancelled jobs  3                                       | Scheduler     | Fixed r8782                 | MOD  |
| 3285 | cupsGetNamedDest() falls back to default even when dest named  5                       | CUPS API      | Fixed r8784                 | MOD  |
| 3293 | Infinite loop in ppdc-source.cxx  1  | PPD Compiler  | Fixed r8785                 | MOD  |
| 3297 | Check for dns-sd.h does not work due to a typo  1                                     | Build Files   | Fixed r8786                 | MOD  |
| 3302 | "Query Printer for Default Options" falls into infinite loop for HP LaserJet 3390  2 | CGI Programs  | Fixed r8787                 | MOD  |
| 3303 | Web Interface: Default setting not marked in radio buttons for a boolean option  2   | CGI Programs  | Fixed r8788                 | MOD  |
| 3279 | cups-driverd problem with 'drv'-based drivers  2                                     | Scheduler     | Fixed r8790                 | MOD  |
| 3311 | Insufficient HTTP error checking in cupsDoIORequest  1                               | CUPS API      | Fixed r8791                 | MOD  |
| 3312 | admin.cgi crashes when modifying class  2  | CGI Programs  | Fixed r8792                 | MOD  |
| 3287 | Empty BrowseLocalProtocols when sharing printers  2                                  | CUPS API      | Fixed r8793                 | LOW  |
| 3296 | Typo in lprm manpage  | Documentation | Fixed r8794                 | LOW  |
| 3308 | Empty string included in advertised document-format-supported  1                     | Scheduler     | Fixed r8795                 | LOW  |
| 3300 | 1.4 ppdc seems to produce invalid PPD files in non-English locales  2                | Multiple      | Fixed r8796                 | MOD  |
| 3262 | Prevent ipp backend looping with bad IPP devices  2                                  | Backends      | Fixed r8798                 | LOW  |
| 3263 | cupsd leaked file descriptors to child processes  3                                  | Scheduler     | Fixed r8799                 | LOW  |
| 3283 | drv files can cause duplicate PPD names from CUPS-Get-PPDs  1                        | Scheduler     | Fixed r8799                 | LOW  |
| 3307 | Changing the default for the printer discovery timeout  1                            | Scheduler     | Fixed r8800                 | LOW  |
| 3315 | USB process hangs, making further printing impossible  1                             | Backends      | Fixed r8802                 | HIGH |
| 3318 | USB process hangs on end-of-file, making further printing impossible  2              | Backends      | Fixed r8813                 | HIGH |
| 3332 | usb-unix.c fails to compile  2   | Backends      | Fixed r8818                 | MOD  |
| 3342 | Scheduler does not clear pre-filters  1  | Scheduler     | Fixed r8821                 | LOW  |






























|      |  |  |                                    |                             |
|------|--|--|------------------------------------|-----------------------------|
| 3340 | <a href="#"><u>If replacing the PPD file with "lpadmin -p ... -m ..." not all default settings are conserved</u></a>  2   | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r8822</u></a> | <a href="#"><u>MOD</u></a>  |
| 3358 | <a href="#"><u>wrong .desktop file (can't see translated name of application)</u></a>  3  | <a href="#"><u>Data Files</u></a>        | <a href="#"><u>Fixed r8831</u></a> | <a href="#"><u>LOW</u></a>  |
| 3359 | <a href="#"><u>wrong links in templates for Russian language</u></a>  1   | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r8832</u></a> | <a href="#"><u>LOW</u></a>  |
| 3363 | <a href="#"><u>cupstestppd: misleading error output when executable permission not set on filter</u></a>  3   | <a href="#"><u>System V Commands</u></a> | <a href="#"><u>Fixed r8834</u></a> | <a href="#"><u>LOW</u></a>  |
| 3346 | <a href="#"><u>config-scripts</u></a>  2  | <a href="#"><u>Build Files</u></a>       | <a href="#"><u>Fixed r8836</u></a> | <a href="#"><u>LOW</u></a>  |
| 3347 | <a href="#"><u>config-scripts, make xinetd and the use of it optional</u></a>  1  | <a href="#"><u>Build Files</u></a>       | <a href="#"><u>Fixed r8837</u></a> | <a href="#"><u>LOW</u></a>  |
| 3360 | <a href="#"><u>install-locales target in doc/ fails although it doesn't have to</u></a>  2  | <a href="#"><u>Build Files</u></a>       | <a href="#"><u>Fixed r8838</u></a> | <a href="#"><u>LOW</u></a>  |
| 3356 | <a href="#"><u>Don't load cached PPD file when queue is raw</u></a>  2  | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r8840</u></a> | <a href="#"><u>LOW</u></a>  |
| 3351 | <a href="#"><u>Info regarding cupsd overwrites config files</u></a>  1  | <a href="#"><u>Multiple</u></a>          | <a href="#"><u>Fixed r8842</u></a> | <a href="#"><u>LOW</u></a>  |
| 3380 | <a href="#"><u>Incorrect German translation</u></a>  1  | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r8850</u></a> | <a href="#"><u>LOW</u></a>  |
| 3372 | <a href="#"><u>broken german translation</u></a>  1   | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r8852</u></a> | <a href="#"><u>LOW</u></a>  |
| 3398 | <a href="#"><u>ppdc documentation is a bit vague on the characters that can be used</u></a>  | <a href="#"><u>Documentation</u></a>     | <a href="#"><u>Fixed r8856</u></a> | <a href="#"><u>LOW</u></a>  |
| 3367 | <a href="#"><u>CUPS XSS and HTTP header/body attacks via attribute injection</u></a>  2   | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8858</u></a> | <a href="#"><u>MOD</u></a>  |
| 3401 | <a href="#"><u>Regression: add/modify class does not work after fix for STR #3367</u></a>  1  | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8858</u></a> | <a href="#"><u>MOD</u></a>  |
| 3381 | <a href="#"><u>cups-polld wedged at 100% processor usage (reproduced)</u></a>  1   | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r8862</u></a> | <a href="#"><u>MOD</u></a>  |
| 3397 | <a href="#"><u>Incomplete fix for STR #3285</u></a>  2  | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r8865</u></a> | <a href="#"><u>MOD</u></a>  |
| 3508 | <a href="#"><u>Lprm broken</u></a>   | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r8865</u></a> | <a href="#"><u>MOD</u></a>  |
| 3399 | <a href="#"><u>Child processes should have default SIGPIPE handler</u></a>  1   | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r8866</u></a> | <a href="#"><u>MOD</u></a>  |
| 3411 | <a href="#"><u>some info appended into localized PPD not commented and caused cupstestppd error</u></a>  1  | <a href="#"><u>PPD Compiler</u></a>      | <a href="#"><u>Fixed r8867</u></a> | <a href="#"><u>MOD</u></a>  |
| 3390 | <a href="#"><u>Web interface: 'Share this printer' always unchecked when modifying printer</u></a>  1   | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8868</u></a> | <a href="#"><u>LOW</u></a>  |
| 3403 | <a href="#"><u>METHDO instead of METHOD</u></a>  1  | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8869</u></a> | <a href="#"><u>LOW</u></a>  |
| 3406 | <a href="#"><u>Add a printer: in an environment with many printers the static choices (lpd/ipp/samba) are pushed down-screen by auto-detected printers, while you try and click.</u></a>  1 | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8870</u></a> | <a href="#"><u>LOW</u></a>  |
| 3407 | <a href="#"><u>cupsdLoadJob() returns success in out of memory condition</u></a>  1   | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r8874</u></a> | <a href="#"><u>LOW</u></a>  |
| 3418 | <a href="#"><u>Wrong "current driver" displayed in web interface</u></a>  2   | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8875</u></a> | <a href="#"><u>LOW</u></a>  |
| 3386 | <a href="#"><u>ppdc incorrectly writes strings from message catalog</u></a>  3  | <a href="#"><u>PPD Compiler</u></a>      | <a href="#"><u>Fixed r8876</u></a> | <a href="#"><u>MOD</u></a>  |
| 3352 | <a href="#"><u>Indonesia translation update</u></a>  2  | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r8878</u></a> | <a href="#"><u>LOW</u></a>  |
| 3382 | <a href="#"><u>cups-lpd can't create a temporary file under high load on Red Hat</u></a>  2   | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r8882</u></a> | <a href="#"><u>LOW</u></a>  |
| 3391 | <a href="#"><u>Web interface: gets stuck modifying serial printer</u></a>  1  | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8885</u></a> | <a href="#"><u>LOW</u></a>  |
| 3422 | <a href="#"><u>Links in Russian and Polish job templates shouldn't be localized</u></a>  1  | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r8898</u></a> | <a href="#"><u>LOW</u></a>  |
| 3423 | <a href="#"><u>Solaris USB support fails to detect printers</u></a>  2  | <a href="#"><u>Backends</u></a>          | <a href="#"><u>Fixed r8901</u></a> | <a href="#"><u>MOD</u></a>  |
| 3435 | <a href="#"><u>Kerberos authenticated print job gets canceled</u></a>  3  | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r8902</u></a> | <a href="#"><u>HIGH</u></a> |
| 3436 |  | <a href="#"><u>CGI Programs</u></a>      | <a href="#"><u>Fixed r8903</u></a> | <a href="#"><u>HIGH</u></a> |












|      |   |                |             |      |
|------|---|----------------|-------------|------|
|      | <a href="#">Jobs buttons not working correctly when viewing a specific printer</a> 2                |                |             |      |
| 3442 | <a href="#">No handler for text/css</a> 1   | Config Files   | Fixed r8905 | MOD  |
| 3428 | <a href="#">Double "job-name" attribute</a> 1   | Scheduler      | Fixed r8906 | LOW  |
| 3431 | <a href="#">Default policy in get_job_attrs() function (ipp.c)</a> 1                                | Scheduler      | Fixed r8907 | LOW  |
| 3439 | <a href="#">Unable to adjust conflicting options in web UI</a> 2                                    | CGI Programs   | Fixed r8908 | LOW  |
| 3440 | <a href="#">Show conflicting option values in web UI</a> 2  | CGI Programs   | Fixed r8909 | LOW  |
| 3409 | <a href="#">Wrong German translations in the templates</a> 4  | Localization   | Fixed r8910 | LOW  |
| 3413 | <a href="#">Kyocera Bad line from "snmp"</a> 2  | Backends       | Fixed r8911 | LOW  |
| 3447 | <a href="#">dbus notifier no longer builds</a> 2  | Build Files    | Fixed r8922 | MOD  |
| 3448 | <a href="#">Avoid invalid read in cupsAddDest</a> 1   | CUPS API       | Fixed r8923 | HIGH |
| 3449 | <a href="#">Missing errors</a> 1  | CUPS API       | Fixed r8925 | LOW  |
| 3383 | <a href="#">IPP conformance: Get-Jobs default for requested-attributes</a> 1                        | Multiple       | Fixed r8927 | LOW  |
| 3458 | <a href="#">ipp backend fails when Get-Printer-Attributes requires auth</a> 1                       | Backends       | Fixed r8943 | MOD  |
| 3469 | <a href="#">ppdc not prepending the Manufacturer name to the ModelName directive consistently</a> 1 | PPD Compiler   | Fixed r8944 | MOD  |
| 3452 | <a href="#">wrong Russian translation</a> 1   | Localization   | Fixed r8946 | LOW  |
| 3460 | <a href="#">ipp: reset printer status to "Ready to print" after successful job</a> 1                | Backends       | Fixed r8947 | LOW  |
| 3463 | <a href="#">Typo in select.c comment</a>  | Scheduler      | Fixed r8948 | LOW  |
| 3473 | <a href="#">Italian translation update</a> 1  | Localization   | Fixed r8949 | LOW  |
| 3498 | <a href="#">Add more CSRF protections</a> 2   | CGI Programs   | Fixed r8976 | MOD  |
| 3480 | <a href="#">No event is set when accepting/rejecting jobs</a> 2                                     | Scheduler      | Fixed r8984 | LOW  |
| 3495 | <a href="#">socket: add a waitbc option</a> 2   | Backends       | Fixed r8985 | LOW  |
| 3502 | <a href="#">&gt; displayed in german user interface</a> 1   | Localization   | Fixed r8986 | LOW  |
| 3492 | <a href="#">lppasswd password prompts are not localized</a> 1                                       | CUPS Commands  | Fixed r8995 | MOD  |
| 3505 | <a href="#">classes.conf not updated when class member is deleted</a> 2                             | Scheduler      | Fixed r8996 | LOW  |
| 3504 | <a href="#">tiny "num-pages" versus "num-copies" confusion in ref-page_log.html</a> 1               | Documentation  | Fixed r8997 | LOW  |
| 3457 | <a href="#">Dymo driver doesn't generate multiple copies</a> 1                                      | Sample Drivers | Fixed r9002 | MOD  |
| 3392 | <a href="#">ldap browsing cutting off last character from printername</a> 5                         | Scheduler      | Fixed r9003 | LOW  |
| 3453 | <a href="#">Documentation should talk about thread-safety</a> 1                                     | Documentation  | Fixed r9005 | LOW  |
| 3518 | <a href="#">Infinite loop when not compiled with HAVE_GSSAPI</a> 1                                  | CUPS API       | Fixed r9020 | MOD  |
| 3519 | <a href="#">cupsDoIORequest ignores HTTP_ERROR</a> 1  | CUPS API       | Fixed r9021 | MOD  |
| 3517 | <a href="#">Segmentation fault in cups/auth.c when debugging</a> 1                                  | CUPS API       | Fixed r9022 | LOW  |
| 3503 | <a href="#">Lpr and Lpq choose default printer differently</a> 1                                    | CUPS API       | Fixed r9024 | MOD  |
| 3520 | <a href="#">cupsctl --remote-any doesn't always work</a> 1  | CUPS API       | Fixed r9025 | MOD  |
| 3521 | <a href="#">ippWriteIO does not write collection values properly</a> 1                              | CUPS API       | Fixed r9028 | HIGH |
| 3325 | <a href="#">Incorrect handling of kerberos negotiation</a> 3  | None           | Fixed r9031 | MOD  |
| 3523 | <a href="#">cupsd can block waiting for an interface's hostname</a> 1                               | Scheduler      | Fixed r9032 | MOD  |
| 3524 | <a href="#">cupsd can crash on restart when classes are defined</a> 1                               | Scheduler      | Fixed r9033 | MOD  |
| 3425 | <a href="#">PreserveJobFiles parameter</a> 3  | Scheduler      | Fixed r9034 | MOD  |

|      |   |                   |             |      |
|------|---|-------------------|-------------|------|
| 3525 | <a href="#">Need support for AP FIRSTPAGE with all media selection keywords</a> 1             | PostScript Filter | Fixed r9037 | LOW  |
| 3394 | <a href="#">Dot-notated option choices cannot be set as default</a> 2                         | CUPS API          | Fixed r9041 | LOW  |
| 3527 | <a href="#">Wrong service name in "Using Kerberos Authentication" page.</a> 1                 | Documentation     | Fixed r9043 | LOW  |
| 3528 | <a href="#">Cups API typo or error...</a> 1   | Documentation     | Fixed r9044 | LOW  |
| 3529 | <a href="#">Typographical error in default snmp.conf.in</a> 1                                 | Config Files      | Fixed r9045 | LOW  |
| 3531 | <a href="#">cupsfilter.c sets RIP CACHE environment variable instead of RIP MAX CACHE</a> 2   | CUPS Commands     | Fixed r9046 | LOW  |
| 3539 | <a href="#">Regression introduced for cupsGetDevices</a> 1                                    | CUPS API          | Fixed r9055 | HIGH |
| 3482 | <a href="#">Setuid programs should not be allowed to override default dirs</a> 1              | CUPS API          | Fixed r9058 | HIGH |
| 3544 | <a href="#">cannot build rpm from specfile</a> 2  | Packaging Files   | Fixed r9094 | LOW  |
| 3534 | <a href="#">backendGetMakeModel assumes valid Device ID</a> 3                                 | Backends          | Fixed r9095 | LOW  |
| 3514 | <a href="#">IPP conformance: Send-Document with no data</a> 1                                 | Scheduler         | Fixed r9100 | MOD  |
| 3461 | <a href="#">GNU TLS and OpenSSL need to be told to be thread-safe</a> 5                       | CUPS API          | Fixed r9102 | LOW  |
| 3554 | <a href="#">IPP conformance: ippget-event-life, operations-supported, output-bin, sides</a> 2 | Multiple          | Fixed r9114 | MOD  |
| 3737 | <a href="#">cannot get cups to send IP address in printer URIs</a> 1                          | Scheduler         | Fixed r9129 | MOD  |
| 3541 | <a href="#">lpstat shows jobs of all destinations regardless of command line parameters</a> 2 | System V Commands | Fixed r9132 | MOD  |
| 3490 | <a href="#">CVE-2010-0302: Incomplete fix for CVE-2009-3553 (STR #3200)</a> 1                 | Scheduler         | Fixed r9146 | MOD  |
| 3516 | <a href="#">Missing malloc checks in texttops</a> 2   | Text Filter       | Fixed r9147 | MOD  |
| 3577 | <a href="#">Memory disclosure in CUPS with admin URLs</a> 2                                   | CGI Programs      | Fixed r9148 | MOD  |
| 3510 | <a href="#">cups overwrites files as root in a directory with non-root write permission</a> 1 | Multiple          | Fixed r9149 | LOW  |
| 3593 | <a href="#">STR #3498 regression: Firefox doesn't work with CSRF protection</a>               | CGI Programs      | Fixed r9150 | MOD  |
| 3587 | <a href="#">AIX 5.3 - Update cups-config to allow Ghostscript to compile</a> 1                | Build Files       | Fixed r9153 | MOD  |
| 3419 | <a href="#">Add DeviceN color space support</a> 1   | CUPS Imaging API  | Fixed r9158 | RFE  |
| 3594 | <a href="#">ppdc buffer overrun with unterminated string</a> 2                                | PPD Compiler      | Fixed r9173 | MOD  |
| 3599 | <a href="#">AUTH_TYPE CGI variable accidentally renamed in commit 7233</a> 1                  | Scheduler         | Fixed r9174 | MOD  |
| 3600 | <a href="#">PATH_INFO no longer set for CGI programs</a> 1                                    | Scheduler         | Fixed r9175 | MOD  |
| 3601 | <a href="#">Unable to change printer driver using web interface</a> 1                         | CGI Programs      | Fixed r9176 | HIGH |
| 3537 | <a href="#">Can't change to Raw Driver</a>  | CGI Programs      | Fixed r9176 | LOW  |
| 3542 | <a href="#">CUPS 1.4 still ships drv manpage</a>  | Documentation     | Fixed r9177 | LOW  |
| 3570 | <a href="#">Clear printer-state-reasons when the PPD is changed</a> 2                         | Scheduler         | Fixed r9179 | LOW  |
| 3559 | <a href="#">Moving a job does not prompt to authenticate</a> 1                                | CGI Programs      | Fixed r9180 | LOW  |
| 3608 | <a href="#">Empty notify-subscribed-event when printer added/modified</a> 2                   | Scheduler         | Fixed r9196 | LOW  |
| 3611 | <a href="#">SMF manifest shows an error after Solaris installation</a> 1                      | Config Files      | Fixed r9197 | LOW  |
| 3624 |   | Localization      | Fixed r9205 | HIGH |

|      |   |  |                                    |                             |
|------|---|--|------------------------------------|-----------------------------|
|      | <a href="#"><u>show staus jobs unavailable due VALUE translated inside it/jobs-header.tmpl</u></a>  |  |                                    |                             |
| 3620 | <a href="#"><u>Invalid paramters for custom options crash the filter</u></a>  1  | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9206</u></a> | <a href="#"><u>MOD</u></a>  |
| 3621 | <a href="#"><u>PJL parameter substitution of more than 9 values is broken</u></a>  1   | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9207</u></a> | <a href="#"><u>MOD</u></a>  |
| 3631 | <a href="#"><u>lpadmin -o key=value fails for two or more Custom Options</u></a>  2  | <a href="#"><u>System V Commands</u></a> | <a href="#"><u>Fixed r9246</u></a> | <a href="#"><u>LOW</u></a>  |
| 3636 | <a href="#"><u>HTML &lt;/OPTION&gt; tag in template/ja/option-pickone.tmpl is broken</u></a>  1                              | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r9247</u></a> | <a href="#"><u>LOW</u></a>  |
| 3635 | <a href="#"><u>Search in doesn't in locale de</u></a>  1   | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r9248</u></a> | <a href="#"><u>LOW</u></a>  |
| 3590 | <a href="#"><u>[PATCH] don't fetch serial number in libusb backend when iSerialNumber=0</u></a>  2                           | <a href="#"><u>Backends</u></a>          | <a href="#"><u>Fixed r9250</u></a> | <a href="#"><u>MOD</u></a>  |
| 3595 | <a href="#"><u>Error: "Unable to write 8192 bytes to printer!"</u></a>  1  | <a href="#"><u>Backends</u></a>          | <a href="#"><u>Fixed r9251</u></a> | <a href="#"><u>MOD</u></a>  |
| 3627 | <a href="#"><u>lpstat -p always reports job id as '-0'</u></a>  2  | <a href="#"><u>System V Commands</u></a> | <a href="#"><u>Fixed r9252</u></a> | <a href="#"><u>MOD</u></a>  |
| 3466 | <a href="#"><u>JobRetryLimit is either off by one or ill documented</u></a>  1   | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r9253</u></a> | <a href="#"><u>LOW</u></a>  |
| 3485 | <a href="#"><u>lpr doesn't work anymore with env variable PRINTER=destination/instance</u></a>  1                            | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9256</u></a> | <a href="#"><u>LOW</u></a>  |
| 3622 | <a href="#"><u>backendRunLoop seems to go into infinite loops when sockets are closed</u></a>  2                             | <a href="#"><u>Backends</u></a>          | <a href="#"><u>Fixed r9257</u></a> | <a href="#"><u>LOW</u></a>  |
| 3645 | <a href="#"><u>cupsAdminSetServerSettings duplicates Listen and Order lines</u></a>  1                                       | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9262</u></a> | <a href="#"><u>LOW</u></a>  |
| 3649 | <a href="#"><u>Serial back end has inverted SIGTERM block</u></a>  2  | <a href="#"><u>Backends</u></a>          | <a href="#"><u>Fixed r9278</u></a> | <a href="#"><u>HIGH</u></a> |
| 3647 | <a href="#"><u>incorrect Polish translation in templates/pl/set-printer-options-header.tmpl</u></a>  1                     | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r9279</u></a> | <a href="#"><u>LOW</u></a>  |
| 3650 | <a href="#"><u>left over text in lp.man</u></a>  1   | <a href="#"><u>Documentation</u></a>     | <a href="#"><u>Fixed r9280</u></a> | <a href="#"><u>LOW</u></a>  |
| 3642 | <a href="#"><u>ppdMarkDefaults does not clear the marked member of existing choices</u></a>  1                             | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9281</u></a> | <a href="#"><u>MOD</u></a>  |
| 3660 | <a href="#"><u>Typo "httpFreeCredential(s)" in libcups2.def (in SVN trunk)</u></a>  | <a href="#"><u>Build Files</u></a>       | <a href="#"><u>Fixed r9295</u></a> | <a href="#"><u>MOD</u></a>  |
| 3662 | <a href="#"><u>Bug in scheduler/auth.c, Kerberos Context not initialized</u></a>  1  | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r9296</u></a> | <a href="#"><u>HIGH</u></a> |
| 3666 | <a href="#"><u>Errors in german templates (double '&gt;')</u></a>  1   | <a href="#"><u>Localization</u></a>      | <a href="#"><u>Fixed r9298</u></a> | <a href="#"><u>LOW</u></a>  |
| 3671 | <a href="#"><u>Improve mapping of non-standard PWG and PPD media names.</u></a>  1   | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9304</u></a> | <a href="#"><u>LOW</u></a>  |
| 3680 | <a href="#"><u>Scheduler crashes when installing printer with malformed PPD file</u></a>  2                                | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9308</u></a> | <a href="#"><u>MOD</u></a>  |
| 3679 | <a href="#"><u>Cups shutdown is not working cleanly</u></a>  1   | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r9309</u></a> | <a href="#"><u>MOD</u></a>  |
| 3684 | <a href="#"><u>libcups is mapping HTTP_UNAUTHORIZED to IPP_NOT_AUTHORIZED instead of IPP_NOT_AUTHENTICATED.</u></a>  2     | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9320</u></a> | <a href="#"><u>MOD</u></a>  |
| 3697 | <a href="#"><u>Scheduler kills retried (fax) jobs after restarting them.</u></a>  1  | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r9346</u></a> | <a href="#"><u>MOD</u></a>  |
| 3712 | <a href="#"><u>Enabling debug logging disables sharing</u></a>  1  | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9353</u></a> | <a href="#"><u>MOD</u></a>  |
| 3722 | <a href="#"><u>Landscape PostScript output broken in 1.4.5</u></a>  1  | <a href="#"><u>PostScript Filter</u></a> | <a href="#"><u>Fixed r9375</u></a> | <a href="#"><u>HIGH</u></a> |
| 3731 | <a href="#"><u>Filter/backend messages not always tracked in job-printer-state-message</u></a>  1                          | <a href="#"><u>Scheduler</u></a>         | <a href="#"><u>Fixed r9387</u></a> | <a href="#"><u>LOW</u></a>  |
| 3732 | <a href="#"><u>number-up and mirror do not mix nicely</u></a>  1   | <a href="#"><u>PostScript Filter</u></a> | <a href="#"><u>Fixed r9394</u></a> | <a href="#"><u>LOW</u></a>  |
| 3756 | <a href="#"><u>cupsMarkOptions no longer doing IPP attribute mapping causes problems with cupsfilter and pstops</u></a>  1 | <a href="#"><u>CUPS API</u></a>          | <a href="#"><u>Fixed r9408</u></a> | <a href="#"><u>HIGH</u></a> |

|      |   |                  |             |      |
|------|---|------------------|-------------|------|
| 3764 | <a href="#"><u>Regression: CUPS adds non-custom PageSize to filter options for custom media size</u></a>  1                  | CUPS API         | Fixed r9414 | MOD  |
| 3754 | <a href="#"><u>cupsd can crash when a browsed printer with active jobs times out</u></a>  2                                  | Scheduler        | Fixed r9415 | HIGH |
| 3707 | <a href="#"><u>Unable to set custom media size in web interface</u></a>  1   | Multiple         | Fixed r9417 | MOD  |
| 3720 | <a href="#"><u>CUPS drivers can specify ppd-product, ppd-psversion, ppd-type parameters</u></a>  1                           | Documentation    | Fixed r9419 | MOD  |
| 3727 | <a href="#"><u>Format change of page log, possible problem with job name</u></a>  1  | Multiple         | Fixed r9421 | MOD  |
| 3729 | <a href="#"><u>-q options not always present with Solaris</u></a>  1   | Build Files      | Fixed r9422 | MOD  |
| 3738 | <a href="#"><u>Missing DragonFly conditional</u></a>  1  | Build Files      | Fixed r9427 | MOD  |
| 3761 | <a href="#"><u>--enable-gnutls requires a check for pkg-config</u></a>  2  | Build Files      | Fixed r9430 | MOD  |
| 3765 | <a href="#"><u>Need to reset LC_MESSAGES in test suite</u></a>  1  | Build Files      | Fixed r9431 | MOD  |
| 3693 | <a href="#"><u>IPP specification error: notify-natural-language</u></a>  1   | Scheduler        | Fixed r9433 | LOW  |
| 3701 | <a href="#"><u>ServerName doesn't correctly work in some cases</u></a>  1  | Scheduler        | Fixed r9434 | LOW  |
| 3710 | <a href="#"><u>'What's new in CUPS?' is unclear about "authenticated" policy</u></a>  1                                      | Documentation    | Fixed r9435 | LOW  |
| 3717 | <a href="#"><u>Hard-wired ipp printer-uri-supported value should have options stripped</u></a>  1                            | Scheduler        | Fixed r9436 | LOW  |
| 3726 | <a href="#"><u>CUPSD DIRTY PRINTERS when cupsdSetPrinterReasons called for discoverable printer</u></a>  2                   | Scheduler        | Fixed r9437 | LOW  |
| 3739 | <a href="#"><u>Incorrect notify-text when printer state has changed</u></a>  1   | Scheduler        | Fixed r9438 | LOW  |
| 3745 | <a href="#"><u>Documentation of "Deny" directive for cupsd.conf contains typo</u></a>   | Documentation    | Fixed r9439 | LOW  |
| 3747 | <a href="#"><u>Harmless JobPatchFile syntax mistake fails even when using relaxed conformance</u></a>  1                   | CUPS API         | Fixed r9440 | LOW  |
| 3749 | <a href="#"><u>cupsctl adds multiple entries for Listen</u></a>  1   | CUPS<br>Commands | Fixed r9441 | LOW  |
| 3750 | <a href="#"><u>Bad example in documentation for BrowseRelay</u></a>  1   | Documentation    | Fixed r9443 | LOW  |
| 3755 | <a href="#"><u>Autodetected LPD printers cannot detect or change print queue name via web interface</u></a>  1             | CGI Programs     | Fixed r9444 | LOW  |
| 3757 | <a href="#"><u>Spelling mistake in lpadmin man page</u></a>  2   | Documentation    | Fixed r9446 | LOW  |
| 3405 | <a href="#"><u>long delay printing last page hp laserjet 1300 usb</u></a>  4   | Backends         | Fixed r9448 | MOD  |
| 3455 | <a href="#"><u>Epiphany and IE do not handle multipart content properly (Add Printer, etc.)</u></a>  3                     | CGI Programs     | Fixed r9449 | MOD  |
| 3664 | <a href="#"><u>cupsd.conf directives SetEnv and PassEnv have no effect</u></a>  1  | Scheduler        | Fixed r9459 | MOD  |
| 3705 | <a href="#"><u>Conflict Resolution Aborts Prematurely</u></a>  3   | CUPS API         | Fixed r9461 | MOD  |
| 3716 | <a href="#"><u>Possible DoS attack from Unknown</u></a>   | Scheduler        | Fixed r9461 | MOD  |
| 3718 | <a href="#"><u>Solaris compilation fails: "printers.c", line 494: prototype mismatch: 2 args passed, 4 expected</u></a>  2 | Scheduler        | Fixed r9462 | MOD  |
| 3769 | <a href="#"><u>setting allow/deny users for a class results in an error</u></a>  2   | CGI Programs     | Fixed r9463 | MOD  |
| 3345 | <a href="#"><u>selecting "Maintenance" from the dropdown list results in Error</u></a>  1                                  | CGI Programs     | Fixed r9464 | LOW  |
| 3412 | <a href="#"><u>Web interface: set "display: block" for links in tabs</u></a>  4  | CGI Programs     | Fixed r9465 | LOW  |
| 3574 | <a href="#"><u>cups-polld introduces unnecessary delays in first round of polling</u></a>  1                               | Polling Daemon   | Fixed r9466 | LOW  |

|      |  |                  |             |      |
|------|--|------------------|-------------|------|
| 3659 | <a href="#"> 1</a> configure does not fail when explicitly enabled options fail  | Build Files      | Fixed r9467 | LOW  |
| 3690 | <a href="#"> 1</a> NULL dereference when MIME database not loaded  | Scheduler        | Fixed r9468 | LOW  |
| 3706 | <a href="#"> 1</a> Errors in PPD Extensions-Color Profiles for Mac OS X  | Documentation    | Fixed r9468 | LOW  |
| 3771 | <a href="#"> 2</a> HP-UX, IRIX and RHEL 3 compilation fixes  | Multiple         | Fixed r9477 | MOD  |
| 3773 | <a href="#"> 2</a> Self test page reports "You are using a wrong driver" for non-Postscript driver                           | Scheduler        | Fixed r9478 | LOW  |
| 3774 | <a href="#"> 2</a> cups with dbus support fails to compile on solaris and HP-UX  | Build Files      | Fixed r9480 | MOD  |
| 3758 | <a href="#"> 1</a> CUPS HTML interface does not pass W3C validator   | CGI Programs     | Fixed r9481 | LOW  |
| 3778 | <a href="#"> 4</a> Problem with FUJI XEROX ApeosPort Multifunction Device and the "Expect: 100-continue header"              | CUPS API         | Fixed r9500 | HIGH |
| 3791 | <a href="#"> 2</a> IPP/HTTP stack issues with Expect: header and non-conforming printers                                     | CUPS API         | Fixed r9518 | MOD  |
| 3782 | <a href="#"> 1</a> String bugs in 'options.html' file  | Documentation    | Fixed r9532 | LOW  |
| 3783 | <a href="#"> 1</a> Typo in doc/eu/index.html.in  | Localization     | Fixed r9534 | LOW  |
| 3781 | <a href="#"> 6</a> Can't build Windows CUPS 1.4.5 with Visual Studio 2005  | Multiple         | Fixed r9544 | MOD  |
| 3798 | <a href="#"> 2</a> Bug in epson9.ppd/okidata9.ppd for 60x72dpi option  | Sample Drivers   | Fixed r9550 | MOD  |
| 3797 | <a href="#"> 2</a> gziptoany: ferror() does not return an error code   | GZIP Filter      | Fixed r9557 | LOW  |
| 3803 | <a href="#"> 1</a> print-quality-default not in print-quality-supported for some PPDs  | Scheduler        | Fixed r9571 | MOD  |
| 3805 | <a href="#"> 1</a> dbus notifier typo  | Notifiers        | Fixed r9572 | MOD  |
| 3809 | <a href="#"> 1</a> SNMPsupplies support cause delay when printing to raw queue   | Backends         | Fixed r9573 | MOD  |
| 3799 | <a href="#"> 2</a> linux backend usb libusb fails to detect Canon MP110 - get device id empty                                | Backends         | Fixed r9575 | MOD  |
| 3443 | <a href="#"> 2</a> PostScript auto-configuration broken  | Sample Drivers   | Fixed r9578 | LOW  |
| 3768 | <a href="#"> 5</a> Kerberos: With valid credentials the job is correctly created but still the server answers "Unauthorized" | CUPS API         | Fixed r9579 | LOW  |
| 3812 | <a href="#"> 3</a> Failure to read last page of raster data  | CUPS Imaging API | Fixed r9597 | HIGH |
| 3814 | <a href="#"> 1</a> Incorrect 'upgrade required' URL when IPv6 address used   | CUPS API         | Fixed r9608 | LOW  |
| 3826 | <a href="#"> 1</a> sp. partiucular s/b particular  | Documentation    | Fixed r9683 | LOW  |
| 3829 | <a href="#"> 1</a> webpage typo peiod s/b period   | Documentation    | Fixed r9683 | LOW  |
| 3832 | <a href="#"> 3</a> cupsLangPrintf() doesn't print with en_US.ASCII locale  | CUPS API         | Fixed r9695 | LOW  |
| 3815 | <a href="#"> 1</a> cups leaving orphaned backends  | Scheduler        | Fixed r9714 | MOD  |
| 3795 | <a href="#"> 4</a> MaxJobs does not limit max number of job data files   | Scheduler        | Fixed r9715 | LOW  |
| 3838 | <a href="#"> 4</a> Possible problems found by static analysis of code  | Multiple         | Fixed r9774 | LOW  |
| 3860 | <a href="#"> 5</a> libusb backend compatibility/migrations issues with usblp backend   | Backends         | Fixed r9831 | MOD  |
| 3861 | <a href="#"> 2</a> scheduler segfaults when missing value in configuration file  | Scheduler        | Fixed r9832 | MOD  |
| 3867 | <a href="#"> 2</a> cups: gif reader infinite loop and heap buffer overflow   | CUPS Imaging API | Fixed r9840 | MOD  |

|                             |   |   |                                     |                             |
|-----------------------------|---|---|-------------------------------------|-----------------------------|
| <a href="#"><u>3880</u></a> | <a href="#"><u>upgrade to 1.4.7 wipes d* files out of /var/spool/cups</u></a>  <a href="#"><u>3</u></a>                             | <a href="#"><u>Scheduler</u></a>        | <a href="#"><u>Fixed r9854</u></a>  | <a href="#"><u>HIGH</u></a> |
| <a href="#"><u>3914</u></a> | <a href="#"><u>cups: GIF reader loop, STR #3867 like</u></a>  <a href="#"><u>2</u></a>   | <a href="#"><u>CUPS Imaging API</u></a> | <a href="#"><u>Fixed r9865</u></a>  | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3387</u></a> | <a href="#"><u>Closing FORM tag is missing in Russian translation admin.tmpl</u></a>  <a href="#"><u>1</u></a>                     | <a href="#"><u>Localization</u></a>     | <a href="#"><u>Fixed r8851</u></a>  | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>4233</u></a> | <a href="#"><u>lpstat can become a zombie if run while cups daemon is reloaded / restarted</u></a>  <a href="#"><u>2</u></a>       | <a href="#"><u>CUPS API</u></a>         | <a href="#"><u>Fixed 1.5.0</u></a>  | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>4056</u></a> | <a href="#"><u>printer status issues for xerox c2424 on cups/kde linux desktop</u></a>  | <a href="#"><u>Backends</u></a>         | <a href="#"><u>Fixed 1.5.2</u></a>  | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3948</u></a> | <a href="#"><u>Incorrect warning "OPC at end-of-life"</u></a>   | <a href="#"><u>Backends</u></a>         | <a href="#"><u>Fixed r9884</u></a>  | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3946</u></a> | <a href="#"><u>lp: Error - unknown option 'u'!</u></a>  | <a href="#"><u>Documentation</u></a>    | <a href="#"><u>Fixed r10040</u></a> | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3947</u></a> | <a href="#"><u>dbus notifier can crash</u></a>  <a href="#"><u>1</u></a>   | <a href="#"><u>Notifiers</u></a>        | <a href="#"><u>Fixed r10041</u></a> | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>4106</u></a> | <a href="#"><u>"ipp" tries to query a CUPS server with lots of SNMP requests</u></a>  <a href="#"><u>1</u></a>                     | <a href="#"><u>Backends</u></a>         | <a href="#"><u>Fixed r10604</u></a> | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3961</u></a> | <a href="#"><u>remote printers overriding Shared attriubte of local printers</u></a>  | <a href="#"><u>None</u></a>             | <a href="#"><u>None</u></a>         | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3538</u></a> | <a href="#"><u>Configuration ConfigFilePerm Is Ignored</u></a>  | <a href="#"><u>Scheduler</u></a>        | <a href="#"><u>None</u></a>         | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3667</u></a> | <a href="#"><u>classes.conf and printers.conf have permissions 600 (-rw-----)</u></a>   | <a href="#"><u>Config Files</u></a>     | <a href="#"><u>None</u></a>         | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3746</u></a> | <a href="#"><u>Single image(jpg) file printed on multiple pages. And also printing is not proper</u></a>  <a href="#"><u>3</u></a> | <a href="#"><u>Image Filters</u></a>    | <a href="#"><u>None</u></a>         | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3915</u></a> | <a href="#"><u>pdftops filter ignores -o media option</u></a>   | <a href="#"><u>PDF Filter</u></a>       | <a href="#"><u>None</u></a>         | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3944</u></a> | <a href="#"><u>browsing info not sent out</u></a>   | <a href="#"><u>None</u></a>             | <a href="#"><u>None</u></a>         | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3954</u></a> | <a href="#"><u>WI does not represent shared status correctly</u></a>  | <a href="#"><u>Multiple</u></a>         | <a href="#"><u>None</u></a>         | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>2661</u></a> | <a href="#"><u>New printer-error-policy to retry-current-job</u></a>  | <a href="#"><u>Multiple</u></a>         | <a href="#"><u>None</u></a>         | <a href="#"><u>RFE</u></a>  |
| <a href="#"><u>3354</u></a> | <a href="#"><u>remote access to admin pages broken (GNU TLS 2.8.3)</u></a>  | <a href="#"><u>Multiple</u></a>         | <a href="#"><u>Third-party</u></a>  | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3556</u></a> | <a href="#"><u>CFLAGS are passed to the C++ compiler; only CXXFLAGS should be</u></a>   | <a href="#"><u>None</u></a>             | <a href="#"><u>Third-party</u></a>  | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3920</u></a> | <a href="#"><u>printers are no longer visible as of CUPS 1.4.7 (HTTP related problem?)</u></a>  <a href="#"><u>1</u></a>         | <a href="#"><u>None</u></a>             | <a href="#"><u>Third-party</u></a>  | <a href="#"><u>MOD</u></a>  |
| <a href="#"><u>3711</u></a> | <a href="#"><u>Data is not transferred to the printer by cups</u></a>   | <a href="#"><u>None</u></a>             | <a href="#"><u>Third-party</u></a>  | <a href="#"><u>LOW</u></a>  |
| <a href="#"><u>3688</u></a> | <a href="#"><u>unsupported com.apple.print.recoverable-message confuses Xerox printer</u></a>  <a href="#"><u>2</u></a>          | <a href="#"><u>Backends</u></a>         | <a href="#"><u>Will Not Fix</u></a> | <a href="#"><u>MOD</u></a>  |